

4 JUN 1955
PRELIMINARY

BRITISH MUSEUM
(NATURAL HISTORY)

Zoology, Mammalia - 12

SUPPLEMENT TO
CHASEN (1940)
A HANDLIST OF MALAYSIAN
MAMMALS


CONTAINING A GENERIC SYNONYMY
AND A COMPLETE INDEX

by

J. R. ELLERMAN *x ref*

and

T. C. S. MORRISON-SCOTT *x ref*



LONDON

PRINTED BY ORDER OF THE TRUSTEES
OF THE BRITISH MUSEUM

Sold at the BRITISH MUSEUM (NATURAL HISTORY)
GROMWELL ROAD, LONDON, S.W.7

MADE AND PRINTED IN GREAT BRITAIN
BY TONBRIDGE PRINTERS LTD., TONBRIDGE, KENT

INTRODUCTION

Chasen, 1940, A handlist of Malaysian mammals, *Bull. Raffles Mus.* No. 15 is the standard work on the mammals of the Malay Peninsula, Sumatra, Java, Borneo and their adjacent small islands. Useful as this work is, we feel it would have been still more useful if generic references and synonyms had been given, and if an index to the species, subspecies and synonyms had been provided. The object of the present work is to repair these omissions. Generic names which are preoccupied, and names which are antedated by another name bearing the same type species, are here for the most part omitted; for fuller synonymies of some of the genera see Ellerman & Morrison-Scott (1951). Generic synonyms from America, Australia and Africa are here as a rule omitted, unless the species in question occurs in some part of Asia. In the few instances where we disagree with the classification of Chasen we have ventured to say so.

ORDER INSECTIVORA

FAMILY TUPAIIDAE

Genus **TUPAIA** Raffles, 1821

1821. *Tupaia* Raffles, Trans. Linn. Soc. London, 13: 256. (May, 1821.)
Tupaia ferruginea Raffles, the Singapore race of *Sorex glis* Diard.
1821. *Sorex-glis* F. Cuvier in Geoffroy & Cuvier, Hist. Nat. Mamm.,
livraison 35: 1. (December, 1821 or perhaps early in 1822.)
Sorex glis Diard.
1888. *Glipora* Jentink, Cat. Syst. Mus. H.N. Pays Bas. 12, Mamm.: 118.
Glipora leucogaster Jentink (*nom. nud.*) = *Tupaia minor* Günther.
1913. *Tana* Lyon, Proc. U.S. Nat. Mus. 45: 134. *Tupaia tana* Raffles.
Not of Reed, 1888.
1953. *Lyonogale* Conisbee, Genera and subgenera of recent mammals,
46. New name for *Tana* Lyon. *Tupaia tana* Raffles. Valid as a
subgenus.

Genus **DENDROGALE** Gray, 1848

1848. *Dendrogale* Gray, P.Z.S., 23. *Hylogalea murina* Schlegel & Müller.

Genus **PTILOCERCUS** Gray, 1848

1848. *Ptilocercus* Gray, P.Z.S., 23. *Ptilocercus lowii* Gray.
1864. *Ptilocercus* Brehm, Ill. Thierl. Vol. 1, 665. (Misspelling of *Ptilocercus*.)

FAMILY ERINACEIDAE

Genus **ECHINOSOREX** Blainville, 1838

1827. *Gymnura* Lesson, Man. Mamm. 171. *Gymnura rafflesii* Lesson =
Viverra gymnura Raffles. Not of Kuhl, 1824.
1838. *Echino-sorex* Blainville, C.R. Acad. Sci. Paris, 6: 742. *Viverra*
gymnura Raffles.

Genus **HYLOMYS** Müller, 1839

1839. *Hylomys* Müller in Temminck, Verh. Nat. Gesch. Nederl. Overz.
Bezitt. Zool. (Zoogd.), 50. *Hylomys suillus* Müller.

CHASEN, PAGE 13

FAMILY TALPIDAE

Genus **TALPA** Linnaeus, 1758

1758. *Talpa* Linnaeus, Syst. Nat. 10th ed. 1: 52. *Talpa europaea* Linnaeus, from Sweden.
1848. *Mogera* Pomel, Arch. Sci. Phys. Nat. Genève, 9: 246. *Talpa wogura* Temminck, the Japanese race of *Talpa micrura* Hodgson, from Nepal.
1867. *Scaptochirus* Milne-Edwards, Ann. Sci. Nat. Zool. 7: 375. *Scaptochirus moschatus* Milne-Edwards, a race of *Talpa micrura* Hodgson, and from Chihli, north-eastern China.
1875. *Parascaptor* Gill, Bull. U.S. Geol. & Geogr. Surv. Terr. 1, 2: 110. *Talpa leucura* Blyth, the Assam race of *Talpa micrura* Hodgson.
1940. *Euroscaptor* Miller, J. Mamm. 21: 443. *Talpa klossi* Thomas (= *Talpa leucura* Blyth?).
1941. *Eoscalops* Stroganov, C.R. Acad. Sci. URSS. 33: 270. *Talpa longirostris* Milne-Edwards, the Szechuan race of *Talpa micrura* Hodgson.
1941. *Asioscalops* Stroganov, loc. cit. 271. *Talpa altaica* Nikolsky from the Altai Mountains, Siberia; a race of *Talpa europaea* Linnaeus, fide Bobrinskii, 1944.

For revision see Schwarz, 1948, P.Z.S. 118: 36-48, according to whose classification, both forms of *Talpa* listed by Chasen would be forms of

Talpa micrura Hodgson, 1841 (Calcutta J.N.H. 2: 221, Nepal).

CHASEN, PAGE 14

FAMILY SORICIDAE

Genus **CROCIDURA** Wagler, 1832

1832. *Crocidura* Wagler, Isis, 275 (March, 1832). *Sorex leucodon* Hermann, from Strasbourg, eastern France.
1897. *Paurodus* Schulze, Helios, Berlin. 14: 90. *Sorex leucodon* Hermann, here selected.

CHASEN, PAGE 18

Genus **SUNCUS** Ehrenberg, 1833

1833. *Suncus* Ehrenberg in Hemprich & Ehrenberg, Symb. Phys. Mamm. 2: k. *Suncus sacer* Ehrenberg, the Egyptian race of *Sorex murinus* Linnaeus.
1839. *Pachyura* de Sélys Longchamps, Études de Micromamm. 32. *Sorex etruscus* Savi, from Italy.
1855. *Paradoxodon* Wagner, Schreber's Säugth. Suppl. 5: 805. *Sorex melanodon* Blyth = *Crocidura* (*Pachyura*) *nitidofulva* Anderson from India, a race of *Sorex etruscus* Savi.

GENERIC SYNONYMY

CHASEN, PAGE 19

Genus **CHIMMAROGALE** Anderson, 1877

1877. *Chimmarogale* Anderson, J. Asiat. Soc. Bengal, 46, 2: 262. *Crossopus himalayicus* Gray from the Punjab, which is probably a race of *Sorex platycephalus* Temminck from Japan.
1921. *Crossogale* Thomas, Ann. Mag. N.H. 7: 243. *Crossogale sumatrana* Thomas, the Sumatran race of *Chimmarogale phaeura* Thomas.

CHASEN, PAGE 20

ORDER DERMOPTERA

FAMILY CYNOCEPHALIDAE

On nomenclature of this group see Simpson (1945). Chasen, who called the family Galeopteridae (following Thomas) did not recognize an order Dermoptera for these animals, but listed them as a family of Insectivora. We believe however that the consensus of opinion is in favour of ordinal rank for the flying lemurs.

Simpson (1945) refers the flying lemurs to a single genus *Cynocephalus*, and in 1951 we also adopted that classification since the difference between the two species seem more subgeneric than generic.

Genus **GALEOPTERUS** Thomas, 1908 (retained by Chasen)

is therefore considered a subgenus of *Cynocephalus*.

Genus **CYNOCEPHALUS** Boddaert, 1768

1768. *Cynocephalus* Boddaert, Dierkundig Mengelwerk, 2: 8 (footnote 1). *Lemur volans* Linnaeus, from the Philippine Islands.
1783. *Galeopithecus* Pallas. Acta Acad. Sci. Petrop. 1780, 1: 208. *Lemur volans* Linnaeus.
1908. *Galeopterus* Thomas, Ann. Mag. N.H. 1: 254. *Galeopithecus temminckii* Waterhouse, the Sumatran race of *Galeopithecus variegatus* Audebert. Valid as a subgenus.

CHASEN, PAGE 22

ORDER CHIROPTERA

FAMILY PTEROPODIDAE

On this family see Knud Andersen (1912). In that work characters of all genera dealt with by Chasen will be found except *Aethalops*, which is near *Balionycteris* but distinguished by the peculiar proportions of its upper incisors.

Despite Simpson's proposed reduction of genera in this family, it seems that K. Andersen makes a good case for the retention of all the genera he recognized.

Genus **ROUSETTUS** Gray, 1821

1821. *Rousettus* Gray, London Med. Repository, 15: 299. *Pteropus aegyptiacus* E. Geoffroy from Egypt.
 1843. *Xantharpyia* Gray, List. Mamm. B.M., xix, 37. *Pteropus amplexicaudatus* E. Geoffroy.
 1843. *Eleutherura* Gray, loc. cit. xix, nom. nud.; 1844. Voy. Sulphur, 1: 29. *Pteropus leachi* A. Smith, a race of *Pteropus aegyptiacus* E. Geoffroy and from South Africa.
 1870. *Senonycteris* Gray, Cat. Monkeys, Lemurs & Fruiteating Bats B.M., 115. *Pteropus seminudus* Kelaart, from Ceylon.

Genus **PTEROPUS** Brisson, 1762¹

1762. *Pteropus* Brisson, Regn. Anim. 13, 153-155. *Pteropus niger* Kerr (from Reunion and Mauritius, fide K. Andersen).
 1777. *Pteropus* Erxleben, Syst. Anim. 130. *Pteropus niger* Kerr. (Some authors wish to ignore Brisson's names.)
 1866. *Eumycteris* Gray, P.Z.S. 64. *Pteropus phaiops* Temminck = *Pteropus melanopogon* Peters, from Amboina.
 1870. *Pselaphon* Grey, Cat. Monkeys, Lemurs & Fruiteating Bats, B.M., 110. *Pteropus pselaphon* Layard, from Bonin Islands.
 1907. *Desmalopex* Miller, Fam. & Gen. Bats, 60. *Pteropus leucopterus* Temminck from Luzon, Philippine Islands.

CHASEN, PAGE 25

Genus **CYNOPTERUS** F. Cuvier, 1824

1824. *Cynopterus* F. Cuvier, Dents Mamm. 248. *Pteropus marginatus* E. Geoffroy = *Vespertilio sphinx* Vahl.
 1906. *Niadius* Miller, Proc. Biol. Soc. Washington, 19: 83. *Cynopterus princeps* Miller, a race of *Cynopterus horsfieldi* Gray, fide Chasen, 1940.

CHASEN, PAGE 27

Genus **MEGAEROPS** Peters, 1865

1841. *Megera* Temminck, Mon. Mamm. 2: 274 and *Megaera*, loc. cit. 359. *Pachysoma ecaudatum* Temminck. Not of Wagler, 1830 or Robineau-Devoidy, 1830.
 1865. *Megaerops* Peters, Mber. Preuss. Akad. Wiss. 256. *Megaera ecaudata* Temminck.

¹ On the nomenclature of this genus see Ellerman & Morrison-Scott, 1951, 4.

GENERIC SYNONYMY

Genus **DYACOPTERUS** K. Andersen, 1912¹

1912. *Dyacopecterus* K. Andersen, Cat. Chiroptera B.M., 1: 651. *Cynopterus spadiceus* Thomas.

Genus **BALIONYCTERIS** Matschie, 1899

1899. *Balionycteris* Matschie, Flederm. des Berliner Mus. für Naturk., 80. *Cynopterus maculatus* Thomas.

Genus **AETHALOPS** Thomas, 1923

1923. *Aethalodes* Thomas, Ann. Mag. N.H. 11: 251. *Aethalodes alecto* Thomas. Not of Gahan, 1888 (Coleoptera).
1923. *Aethalops* Thomas, P.Z.S., 178. Replaces *Aethalodes*, preoccupied. *Aethalodes alecto* Thomas.

CHASEN, PAGE 28

Genus **CHIRONAX** K. Andersen, 1912

1912. *Chironax* K. Andersen, Cat. Chiroptera B.M., 1: 658. *Pteropus melanocephalus* Temminck.

Genus **PENTHETOR** K. Andersen, 1912

1912. *Penthetor* K. Andersen, Cat. Chiroptera B.M., 1: 665. *Cynopterus* (*Ptenochirus*) *lucasi* Dobson (which dates from 1880, not "1800" as listed by Chasen).

Genus **EONYCTERIS** Dobson, 1873

1873. *Eonycteris* Dobson, Proc. Asiat. Soc. Bengal, 148. *Macroglossus spelaeus* Dobson.
1889. *Callinycteris* Jentink, Notes Leyden Mus. 11: 209. *Callinycteris rosenbergii* Jentink, from Celebes.

Genus **MACROGLOSSUS** F. Cuvier, 1824

1824. *Macroglossus* F. Cuvier, Dents. Mamm. 248. *Pteropus minimus* E. Geoffroy.
1840. *Kiodotus* Blyth in Cuvier, Anim. Kingd. 69. New name for *Macroglossus*, under the impression that it was preoccupied by *Macroglossum* Scopoli, 1777.
1902. *Odontonycteris* Jentink, Notes Leyden Mus. 23: 140. *Odontonycteris meyeri* Jentink = *Macroglossus lagochilus* Matschie.

¹ Not "1921" as listed in Chasen.

CHASEN'S MALAYSIAN MAMMALS

ADDENDUM TO CHASEN

Genus **DOBSONIA** Palmer, 1898

1828. *Hypoderma* E. Geoffroy, Dict. Class. H.N. 14: 707. Not of Latreille, 1818.
1898. *Dobsonia* Palmer, Proc. Biol. Soc. Washington, 12: 114. *Cephalotes peronii* E. Geoffroy from Timor.

Dobsonia peroni E. Geoffroy, 1810.

1810. *Cephalotes peronii* E. Geoffroy, Ann. Mus. H.N. 15: 104. Timor.
Tate (1942) (b) recorded this species from Bali.

CHASEN, PAGE 31

FAMILY RHINOPOMATIDAE

Genus **RHINOPOMA** E. Geoffroy, 1818¹

1818. *Rhinopoma* E. Geoffroy, Description de l'Égypte, 2: 113. *Vespertilio microphyllus* Brünnich, from Arabia and Egypt.

FAMILY EMBALLONURIDAE

Genus **EMBALLONURA** Temminck, 1838

1838. *Emballonura* Temminck, Tijdschr. Natuur. Gesch. 5: 22. *Emballonura monticola* Temminck.

CHASEN, PAGE 32

Genus **SACCOLAIMUS**. Chasen dates this from Lesson, 1842; it should be Temminck, 1838. We regard it as a subgenus of *Taphozous* (see below).

Genus **TAPHOZOUS** E. Geoffroy, 1818

1818. *Taphozous* E. Geoffroy, Description de l'Égypte, 2: 113. *Taphozous perforatus* E. Geoffroy, from Egypt.
1838. *Saccolaimus* Temminck, Tijdschr. Natuur. Gesch. 5: 6, (as a subgenus). *Taphozous saccolaimus* Temminck. Valid as a subgenus.
1922. *Liponycteris* Thomas, Ann. Mag. H.N. 9: 267. *Taphozous nudiventris* Cretzschmar, from Egypt. Valid as a subgenus, and also includes *T. kachhensis* Dobson, a race of which is listed by Chasen (page 33) from the Malay States.

¹ Not "1813" as listed in Chasen.

GENERIC SYNONYMY

CHASEN, PAGE 34

FAMILY MEGADERMATIDAE

Genus **MEGADERMA** E. Geoffroy, 1810

1810. *Megaderma* E. Geoffroy, Ann. Mus. H.N. Paris, 15: 190. *Vespertilio spasma* Linnaeus.
 1872. *Lyroderma* Peters, Mber. Preuss. Akad. Wiss. 195. *Megaderma lyra* E. Geoffroy. Valid as a subgenus.

CHASEN, PAGE 36

FAMILY NYCTERIDAE

Genus **NYCTERIS** E. Geoffroy & G. Cuvier, 1795

1795. *Nycteris* E. Geoffroy & G. Cuvier, Mag. Encyclop. 2: 186, *nom. nud.* *Vespertilio hispidus* Schreber, from Senegal, West Africa. Name validated by Opinion 111 of International Commission on Zoological Nomenclature.
 1838. *Petalia* Gray, Mag. Zool. Bot. 2: 494. *Nycteris javanicus* E. Geoffroy.

Tate (1941 (a)) records *Nycteris tragata* from Sumatra. This species (with bifid upper incisors) cannot be regarded as a race of *N. javanica* (which has trifid upper incisors).

FAMILY RHINOLOPHIDAE

Genus **RHINOLOPHUS** Lacépède, 1799

1799. *Rhinolophus* Lacépède, Tabl. Mamm. 15. *Vespertilio ferrumequinum* Schreber, from France.
 1847. *Aquias* Gray, P.Z.S., 15. *Rhinolophus luctus* Temminck (Ellerman, Morrison-Scott & Hayman, 1953).
 1867. *Coelophyllus* Peters, P.Z.S. 1866: 427. *Rhinolophus coelophyllus* Peters.
 1901. *Euryalus* Matschie, S.B. Ges. Naturf. Fr. Berlin, 225. *Rhinolophus mehelyi* Matschie from Rumania.

CHASEN, PAGE 42

Rhinolophus coelophyllus dates from 1867 (P.Z.S. 1866: 426).

Genus **HIPPOSIDEROS** Gray, 1831

1831. *Hipposideros* Gray, Zool. Misc. 37. *Vespertilio speoris* Schneider.
 1837. *Phyllorhina* Bonaparte, Faun. Ital. pt. 21: 3. *Rhinolophus diadema* E. Geoffroy.
 1866. *Gloionycteris* Gray, P.Z.S. 82. *Phyllorhina armiger* Hodgson.
 1866. *Speorifera* Gray, P.Z.S. 82. *Hipposideros vulgaris* Blyth = *Rhinolophus larvatus* Horsfield.

HIPPOSIDEROS [contd.]

1866. *Chrysonycteris* Gray, P.Z.S. 82. *Hipposideros fulvus* Gray, from Dharwar, India, which is probably a race of *Rhinolophus bicolor* Temminck.
1871. *Ptychorhina* Peters, Mber. Preuss. Akad. Wiss. 325. *Rhinolophus caffer* Sundevall, from Natal, South Africa.
1871. *Cyclorhina* Peters, Mber. Preuss. Akad. Wiss. 326. *Phyllorhina obscura* Peters, from Luzon, Philippine Islands, here selected.
1871. *Thyrcorhina* Peters, loc. cit. 327. *Phyllorhina coronata* Peters, from Mindanao, Philippine Islands.

On this genus see Tate (1941) (b).

Hipposideros lylei (Chasen page 42). We suggest that this is a race of

Hipposideros pratti Thomas, 1891,
(Ann. Mag. N.H. 7: 527, from Kiatingfu, Szechuan, China).

Hipposideros diadema (Chasen page 42). To distribution add Bali (Tate, 1941 (b)).

Hipposideros gentilis (Chasen page 45). We have suggested (1951) that the earliest name for this species is

Hipposideros pomona K. Andersen, 1918,
(Ann. Mag. N.H. 2: 380, from Haleri, northern Coorg, India).

Hipposideros speoris Schneider (Chasen page 47). Our latest researches lead us to the conclusion that this name should date from 1797 *vel* 1798.

CHASEN, PAGE 47

(Genus **ASELLIA** Gray, 1838, Mag. Zool. Bot. 2: 493, *Rhinolophus tridens* E. Geoffroy, from Egypt, is a valid genus but is now considered extralimital to the region covered by Chasen.)

The species he refers to it, *stoliczkana*, is referred by Tate (1941) (a) to his genus *Aselliscus*, which was proposed after the publication of Chasen's handlist. *Asellia* is restricted by Tate to the species *tridens*, which is from South-western Asia and northern Africa.

Genus **ASELLISCUS** Tate, 1941

1941. *Aselliscus* Tate, Amer. Mus. Nov. No. 1140: 2. *Rhinolophus tricuspidatus* Temminck, from Amboina, Moluccas. To include also the species *stoliczkana* Dobson, from Penang, and *trifida* Peters, from Burma.

Genus **COELOPS** Blyth, 1848

1848. *Coelops* Blyth, J. Asiat. Soc. Bengal, 17, 1: 251. *Coelops frithii* Blyth.
1911. *Chilophylla* Miller, Proc. U.S. Nat. Mus. 38: 395. *Chilophylla hirsuta* Miller from Mindoro, Philippine Islands.

GENERIC SYNONYMY

CHASEN, PAGE 48

Genus CHILOPHYLLA, retained by Chasen, is a synonym of *Coelops* according to Tate, 1941 (a) and other authors. See under *Coelops*.

FAMILY V E S P E R T I L I O N I D A E

Genus **MYOTIS** Kaup, 1829

1829. *Myotis* Kaup, Skizz. Europ. Thierw. 1: 106. *Vespertilio myotis* Borkhausen, from Germany.
1830. *Leuconoe* Boie, Isis, Jena, 256. *Vespertilio daubentonii* Kuhl, from Germany. Valid as a subgenus.
1841. *Selysius* Bonaparte, Faun. Ital. 1: Introd. 3. *Vespertilio mystacinus* Kuhl, from Germany. Valid as a subgenus.
1841. *Capaccinius* Bonaparte, loc. cit. 1: Indice Distrib. 1. *Vespertilio capaccinii* Bonaparte, from Sicily.
1842. *Trilatitus* Gray, Ann. Mag. N.H. 10: 258. Included *Vespertilio hasseltii* Temminck and *Vespertilio macellus* Temminck.
1856. *Isotus* Kolenati, Allg. Dtsch. Naturh. Ztg. 2: 131. *Vespertilio nattereri* Kuhl, from Germany. Valid as a subgenus.
1867. *Pternopterus* Peters, Mber. Preuss. Akad. Wiss, 706. *Vespertilio* (*Pternopterus*) *lobipes* Peters (= *Vespertilio muricola* Gray? (from Nepal)).
1870. *Exochurus* Fitzinger, S.B. Akad. Wiss. Wien, 62: 75. Based on *macrodactylus* Temminck from Japan, *horsfieldi* Temminck from Java and *macrotarsus* Waterhouse from the Philippine Islands.
1899. *Euvespertilio* Acloque, Faune de France, Mamm. 38. *Vespertilio mystacinus* Kuhl, from Germany, here selected.
1910. *Chrysopteron* Jentink, Notes Leyden Mus. 32: 74. *Kerivoula weberi* Jentink, from Celebes. Valid as a subgenus.
1916. *Rickettia* Bianchi, Annu. Mus. Zool. Acad. St. Petersburg. 21: lxxvii. *Vespertilio* (*Leuconoe*) *ricketti* Thomas, from Fukien, China. Valid as a subgenus.
1916. *Dichromyotis* Bianchi, loc. cit. 21: lxxviii. *Vespertilio formosus* Hodgson, from Nepal.
1916. *Paramyotis* Bianchi, loc. cit. 21: lxxix. *Vespertilio bechsteini* Kuhl, from Germany. Valid as a subgenus (new name for *Nystactes* Kaup, 1829, not of Gloger, 1827).

For revision see Tate, 1941 (c).

Tate's classification of species from the Malaysian region does not agree with that of Chasen. Tate divides the genus into seven subgenera in Europe and Asia. Of the forms listed by Chasen, *horsfieldi*, *carinatae*, *lepidus*, *adversus*, *hasselti* and *abbotti* (which is evidently not a race of *muricola* as listed in Chasen) are referred to the subgenus *Leuconoe*; *muricola*, *niasensis*, *federatus* and more doubtfully *oreias* are referred to the subgenus *Selysius*; and *bartelsi* and *hermani* are referred to the subgenus *Chrysopteron*. The form *macellus*, alluded to by Chasen on page 48, footnote 2, is regarded as a *Leuconoe*, near *hasselti*.

CHASEN, PAGE 50

Genus **PIPISTRELLUS** Kaup, 1829

1829. *Pipistrellus* Kaup, Skizz. Europ. Thierw. 1: 98. *Vespertilio pipistrellus* Schreber, from France.
1838. *Romicia* Gray, Mag. Zool. Bot. 2: 495. *Romicia calcarata* Gray = *Vespertilio kuhli* Kuhl from Trieste (Italian-Yugoslavian border).
1856. *Hypsugo* Kolenati, Allg. Dtsch. Naturh. Ztg. 2: 131. *Vespertilio maurus* Blasius = *Vespertilio savii* Bonaparte, from Italy, here selected.
1856. *Nannugo* Kolenati, loc. cit. *Vespertilio pipistrellus* Schreber, here selected.
1875. *Scotozous* Dobson, P.Z.S. 372. *Scotozous dormeri* Dobson, from Bellary Hills, India. Valid as a subgenus.
1899. *Euvesperugo* Acloque, Faune de France, Mamm. 35. *Vespertilio pipistrellus* Schreber, here selected.
1902. *Ia* Thomas, Ann. Mag. N.H. 10: 163. *Ia io* Thomas, from Hupeh, China. Valid as a subgenus.
1916. *Megapipistrellus* Bianchi, Annu. Mus. Zool. St. Petersb., 21: lxxvii. *Pipistrellus annectens* Dobson. Valid as a subgenus.
1946. *Vansonnia* Roberts, Ann. Transv. Mus. 20: 304. *Pipistrellus vernayi* Roberts, from Bechuanaland, a race of *Vespertilio rueppelli* Fischer, from the Sudan.

On the status of this genus, which is little more than a subgenus of *Eptesicus* and which is also antedated by the closely related *Nyctalus*, see Ellerman & Morrison-Scott (1951, 162).

For a revision see Tate, 1942 (a).

The classification of Tate does not agree with that of Chasen. Tate thinks that *Vespertilio tratatitius* Horsfield (Chasen page 51) was based on a *Myotis*. It is best regarded as unidentifiable.

Tate's classification of the forms listed in Chasen is as follows:

Pipistrellus abramus group¹: *Pipistrellus bancanus*.

Pipistrellus coromandra group: *P. ridleyi*, *P. murrayi*, *P. imbricatus*, *P. subulidens*.

Pipistrellus tenuis group: *P. tenuis* (also *P. nitidus* Tomes, 1858, P.Z.S. 538, north-western Borneo, apparently omitted from Chasen).

Pipistrellus affinis group: *P. kitcheneri*.

Pipistrellus savii group: *P. macrotis*, *P. vordermanni*, *P. curtatus*.

Pipistrellus circumdatus group: *P. circumdatus*, *P. mordax*.

Pipistrellus annectens group: *P. annectens*.

The species *Pipistrellus brachypterus* was referred to the "*P. joffrei* group" but *joffrei* is currently regarded as belonging to the genus *Nyctalus*.

¹ According to Laurie & Hill, 1954, the prior name for what has hitherto been called *P. abramus* is *Scotophilus javanicus* Gray, 1838 (listed by Chasen in synonymy of "*tratatitius*" on page 51). This species will therefore have to be called **Pipistrellus javanicus** Gray.

GENERIC SYNONYMY

CHASEN, PAGE 51

Genus **GLISCHROPUS** Dobson, 1875

1875. *Glischropus* Dobson, P.Z.S. 472. *Vesperugo tylopus* Dobson.

Genus **TYLONYCTERIS** Peters, 1872

1872. *Tylonycteris* Peters, Mber. Preuss. Akad. Wiss. 703. *Vespertilio pachypus* Temminck.

Tate, 1942 (a) records the species *Tylonycteris pachypus* from both Sumatra and Bali.

CHASEN, PAGE 52

Genus **HESPEROPTENUS** Peters, 1868

1868. *Hesperoptenus* Peters, Mber. Preuss. Akad. Wiss. 626. *Vesperus doriae* Peters.

CHASEN, PAGE 53

Hesperoptenus tomesi Thomas dates from the year 1905 (accidentally omitted in Chasen).

Genus **NYCTALUS** Bowdich, 1825

1825. *Nyctalus* Bowdich, Excursions in Madeira & Porto Santo, 36 (and footnote). *Nyctalus verrucosus* Bowdich, from Madeira.

1829. *Pterygistes* Kaup, Skizz. Europ. Thierw. 1: 100. *Vespertilio noctula* Schreber, from France.

1842. *Noctulinia* Gray, Ann. Mag. N.H. 10: 258. *Vespertilio proterus* Kuhl = *Vespertilio noctula* Schreber, here selected.

1856. *Panugo* Kolenati, Allg. Dtsch. Naturh. Ztg. 2: 131. *Vespertilio noctula* Schreber, here selected.

Tate, 1942 (a): (251–253) transferred the Malayan species *stenopterus* to *Pipistrellus*, but we propose to follow Miller for reasons we gave in 1951 (page 159) and retain it, and the species *joffrei* (Thomas, 1915, from Burma), in the present genus.

Genus **EPTESICUS** Rafinesque, 1820

1820. *Eptesicus* Rafinesque, Annals of Nature, 2. *Eptesicus melanops* Rafinesque = *Vespertilio fuscus* Beauvois, from North America.

1829. *Cnephaeus* Kaup, Skizz. Europ. Thierw. 1: 103. *Vespertilio serotinus* Schreber, from France.

1858. *Amblyotus* Kolenati, S.B. Akad. Wiss. Wien, 29: 252. *Amblyotus atratus* Kolenati = *Vespertilio nilssonii* Keyserling & Blasius, from Sweden.

CHASEN'S MALAYSIAN MAMMALS

EPTESICUS [contd.]

1866. *Pachyomus* Gray, Ann. Mag. N.H. 17: 90. *Scotophilus pachyomus* Tomes, the Rajputana race of *Vespertilio serotinus* Schreber.
1916. *Pareptesicus* Bianchi, Annu. Mus. Zool. Acad. St. Petersb. 21: lxxvi. *Vesperugo pachyotis* Dobson, from Assam.
1916. *Rhynptesicus* Bianchi, loc. cit. *Vesperugo nasutus* Dobson, from Sind, India.

CHASEN, PAGE 54

Genus **SCOTOPHILUS** Leach, 1821

1821. *Scotophilus* Leach, Trans. Linn. Soc. London, 13: 69, 71. *Scotophilus kuhlii* Leach.
1831. *Pachyotus* Gray, Zool. Misc. No. 1, 38. *Scotophilus kuhlii* Leach.
(1942. *Parascotomanes* Bourret, C.R. Conseil Rech. Sci. Indochine, 1942, 2: 23. *Scotomanes* (*Parascotomanes*) *beaulieui* Bourret, from Indo-China.)

Tate, 1942 (a) in a review of the Indo-Malayan forms of this genus, is unable to identify *S. kuhli* Leach specifically, and uses the name

Scotophilus heathi Horsfield

(1831. *Nycticejus heathii* Horsfield, P.Z.S. 113, Madras, India) for the larger of the two Oriental species.

CHASEN, PAGE 55

Genus **MURINA** Gray, 1842

1842. *Murina* Gray, Ann. Mag. N.H. 10: 258. *Vespertilio suillus* Temminck.
1915. *Harpiola* Thomas, Ann. Mag. N.H. 16: 309. *Murina grisea* Peters, from Kumaon, India. Valid as a subgenus.

On this genus see Tate, 1941 (d).

Genus **HARPIOCEPHALUS** Gray, 1842

1842. *Harpiocephalus* Gray, Ann. Mag. N.H. 10: 259. *Harpiocephalus rufus* Gray = *Vespertilio harpia* Temminck.

Genus **KERIVOULA** Gray, 1842

1842. *Kerivoula* Gray, Ann. Mag. N.H. 10: 258. *Vespertilio pietus* Pallas (Peters, 1866).
1905. *Phoniscus* Miller, Proc. Biol. Soc. Washington, 18: 229. *Phoniscus atrox* Miller. Valid as a subgenus.

CHASEN, PAGE 57

Genus **PHONISCUS** Miller, 1905: see above under *Kerivoula*. Following Simpson (1945, 60) and Tate (1941 (d), 586) we believe that *Phoniscus* is not more than a subgenus of *Kerivoula*.

GENERIC SYNONYMY

Tate, *loc. cit.* gives the type locality of *Kerivoula (Phoniscus) javana* as Kosala, near Bantam, Java, and quotes specimens from Borneo.

Genus **MINIOPTERUS** Bonaparte, 1837

1837. *Miniopterus* Bonaparte, Fauna Ital. 1: fasc. 20, under *Vespertilio emarginatus*. *Vespertilio ursinii* Bonaparte = *Vespertilio schreibersii* Kuhl.

According to Tate's (1941 (d)) review of the species, the status of the half-dozen forms listed by Chasen is probably as follows; *fuliginosus* is a race of

Miniopterus schreibersi Kuhl, 1819

(1819, *Vespertilio schreibersii* Kuhl, Ann. Wetterau Ges. Naturk, 4, 2: 185, Kulmbazer Cave, mountains of southern Banat, Hungary);

blepotis is also a race of *M. schreibersi*; *ravus* is a synonym of *blepotis*; *medius* is a synonym of *blepotis*; *tibialis* is a synonym of

Miniopterus australis Tomes, 1858

(1858, P.Z.S., 125, Loyalty Islands, Southern Pacific), and *witkampi* is a synonym of *Miniopterus australis pusillus* (*Miniopterus pusillus* Dobson, 1876, Monogr. Asiat. Chiroptera, 162, Madras, India (*vide* Tate).)

Laurie & Hill (1954:72) separate *Miniopterus australis* from eastern Java as *M.a. minor*.

The reference to *Miniopterus medius*, accidentally omitted from Chasen, is *Miniopterus medius* Thomas & Wroughton, 1909, P.Z.S., 382, Kali-putjang, western Java.

CHASEN, PAGE 58

FAMILY M O L O S S I D A E

Chasen lists five genera in this family, of which certainly *Cheiromeles* and probably *Otomops* are valid. But we believe, following Simpson, that the other three are not more than subgenera of *Tadarida* Rafinesque, 1814. Restricted *Tadarida* (which antedates *Nyctinomus*) of Miller and earlier authors does not occur in the region covered by Chasen.

Genus **TADARIDA** Rafinesque, 1814

1814. *Tadarida* Rafinesque, Précis Som. 55. *Cephalotes teniotis* Rafinesque, from Sicily.

1818. *Nyctinomus* E. Geoffroy, Description de l'Égypte, 2: 114. *Nyctinomus aegyptiacus* E. Geoffroy, from Egypt.

1842. *Mops* Lesson, Nouv. Tabl. Règne Anim. 18. *Mops indicus* Lesson = *Molossus mops* Blainville. Valid as a subgenus.

TADARIDA [contd.]

1865. *Mormopterus* Peters, Mber. Preuss. Akad. Wiss. 258. *Nyctinomus jugularis* Peters, from Madagascar = *Vespertilio acetabulosus* Hermann, from Mauritius. Valid as a subgenus.
 1874. *Chaerephon* Dobson, J. Asiat. Soc. Bengal, 43, 2: 144. *Molossus* (*Nyctinomus*) *johorensis* Dobson. Valid as a subgenus.
 1934. *Philippinopterus* Taylor, Philippine Land Mamm. 314. *Philippinopterus lauci* Taylor, from the Philippine Islands.

Genus CHAEREPHON Dobson, 1874: see above under the genus *Tadarida*, of which we believe it to be a subgenus.

CHASEN, PAGE 59

Genus **OTOMOPS** Thomas, 1913

1913. *Otomops* Thomas, J. Bombay N.H. Soc. 22: 91. *Nyctinomus wroughtoni* Thomas, from Kanara, India.

Genus MOPS Lesson, 1842: see above under the genus *Tadarida*, of which we believe it to be a subgenus.

Genus MORMOPTERUS Peters, 1865: see above under the genus *Tadarida*, of which we believe it to be a subgenus.

CHASEN, PAGE 60

Genus **CHEIROMELES** Horsfield, 1824

1824. *Cheiromeles* Horsfield, Zool. Res. Java, (8). *Cheiromeles torquatus* Horsfield.
 1841. *Chiropetes* Gloger, Gemeinn. Hand-u. Hilfsbuch der Naturg. 1: 49. Emendation of *Cheiromeles*.
 1846. *Cheiromeles* Agassiz, Nomencl. Zool. Mamm. Addenda, 3. Emendation of *Cheiromeles*.

The species *Cheiromeles torquatus* dates from 1824 (the year is accidentally omitted from Chasen's reference).

ORDER PRIMATES

FAMILY PONGIDAE

(= Simiidae of Chasen).

Genus "**SIMIA** Auct., nec Linn."

Simia Linnaeus, 1758, Syst. Nat. 10th ed. 1: 25.

Suppressed: see Opinion 114 of the International Commission on Zoological Nomenclature.

No useful purpose will be served by ignoring the Opinions of the International Commission, and as Chasen himself states (page 61), the correct name for the Orang-utan is *Pongo pygmaeus* Linnaeus.

GENERIC SYNONYMY

Genus **PONGO** Lacépède, 1799

1799. *Pongo* Lacépède, Tabl. Mamm. 4. *Pongo borneo* Lacépède (*loc. cit.*).
= *Simia pygmaeus* Linnaeus.

The specific reference to *Simia pygmaeus* Linnaeus, 1760, is in Chasen, page 60.

CHASEN, PAGE 63

(FAMILY H Y L O B A T I D A E: Often and perhaps better considered as a subfamily of the family Pongidae)

Genus **HYLOBATES** Illiger, 1811

1811. *Hylobates* Illiger, Prodr. Syst. Mamm. 67. *Homo lar* Linnaeus.
1841. *Symphalangus* Gloger, Gemeinn. Naturg. 1: 34. *Symphalangus syndactylus* Gloger = *Simia syndactylus* Raffles. Valid as a subgenus.
1932. *Brachitanytes* Schultze, J. Mamm. 13: 369. *Symphalangus klossii* Miller.
1933. *Nomascus* Miller, J. Mamm. 14: 159. *Hylobates leucogenys* Ogilby, from Siam, a race of *Simia concolor* Harlan, from Hainan or Tonkin. Valid as a subgenus.

CHASEN, PAGE 65

FAMILY C E R C O P I T H E C I D A E

Genus **MACACA** Lacépède, 1799

1758. *Simia* Linnaeus, Syst. Nat. 10th ed. 1: 25. *Simia sylvanus* Linnaeus.
By suspension of the Rules the name *Simia* is suppressed, see Opinion 114 of the Internat. Comm. on Zool. Nomenclature.
1799. *Macaca* Lacépède, Tabl. Mamm. 4. *Macaca inuus* = *Simia sylvanus* Linnaeus, from the Barbary Coast, northern Africa.
1820. *Silenus* Goldfuss, Handbuch Zool. 2: 479. *Cynocephalus silenus* Schreber = *Simia silenus* Linnaeus (from southern India).
1827. *Magus* Lesson, Man. Mamm. 43. *Magus sylvanus* = *Simia sylvanus* Linnaeus, here selected.
1840. *Rhesus* Lesson, (Rev. Zool. 2: 70, *nom. nud.*). 1840. Spec. Mamm. 95. *Cercopithecus mulatta* Zimmermann, from India.
1848. *Lyssodes* Gistel, Naturgesch. Thier. f. höhere Schulen, 9. *Macaca speciosus* F. Cuvier.
1862. *Cynamolgus* Reichenbach, Vollständ. Nat. Affen, 130. *Macacus irus* F. Cuvier (*fide* Pocock).
1862. *Žati* Reichenbach, *loc. cit.* *Macaca radiata* E. Geoffroy (from Peninsular India).
1913. *Pithecus* Elliot, Rev. Primates, 2: 176. Not of Cuvier & Geoffroy.

If subgeneric division is required in this genus, then *Silenus*, *Rhesus*, *Lyssodes*, *Cynamolgus* and *Žati* are all available as subgeneric names.

CHASEN, PAGE 70

FAMILY COLOBIDAE: Often and probably better considered as a subfamily of family Cercopithecidae

Genus "**PITHECUS**" E. Geoffroy & G. Cuvier, 1795

1795. *Pithecus* Geoffroy & Cuvier, Mag. Encycl. 3: 462. Based on the unidentifiable *Simia veter* Linnaeus.

Suppressed; see Opinion 114 of the International Commission on Zoological Nomenclature.

No useful purpose will be served by ignoring the Opinions of the International Commission on Zoological Nomenclature.

If all Leaf Monkeys are considered as congeneric then the earliest available name is *Pygathrix* E. Geoffroy, 1812¹ but in 1951 we followed Thomas, Simpson and Osgood, who restricted *Pygathrix* to its type species, and referred the remaining species to the genus *Presbytis* Eschscholtz, 1821.

Genus **PRESBYTIS** Eschscholtz, 1821

1821. *Presbytis* Eschscholtz, in Kotzebue Reise, 3: 196, pl. *Presbytis mitratus* Eschscholtz = *Simia aygula* Linnaeus.

1822. *Semnopithecus* Desmarest, Mamm. 2: 532. *Simia entellus* Dufresne, from Bengal.

1862. *Trachypithecus* Reichenbach, Vollständ. Nat. Affen, 89. *Semnopithecus pyrrhus* Horsfield, a race of *Simia cristatus* Raffles.

1862. *Kasi* Reichenbach, loc. cit. 101. *Cercopithecus johnii* Fischer, from southern India.

1879. *Corypithecus* Trouessart, Rev. Mag. Zool. (3), 7: 53. *Semnopithecus frontatus* Müller.

1879. *Lophopithecus* Trouessart, loc. cit. *Semnopithecus rubicundus* Müller.

1879. *Presbypithecus* Trouessart, loc. cit. 56. Substitute for *Presbytis* Reichenbach, 1862 (based on *Cercopithecus kephalopterus* Zimmermann = *Cercopithecus vetulus* Erxleben, a race of *Cercopithecus senex* Erxleben, and from Ceylon). Not of Eschscholtz, 1821.

Presbytis melalophos Raffles, 1821.

As we have already pointed out (1951), Chasen should have called his "*Pithecus femoralis*" by the specific name *melalophos*; this form, listed erroneously by Chasen as a race of *femoralis* on page 76, antedates *femoralis* by 17 years.

CHASEN, PAGE 77

Presbytis aygula dates from 1758, not "1858" as in Chasen.

¹ *Pygathrix* E. Geoffroy, 1812, Ann. Mus. H.N. Paris, 19: 90. *Simia nemaus* Linnaeus, from Cochin-China.

GENERIC SYNONYMY

CHASEN, PAGE 81

Presbytis cristatus Raffles, 1821.

Chasen should have called his "*Pithecus pyrrhus*" by the specific name *cristatus*; this form, listed erroneously by Chasen, on page 83, as a race of *pyrrhus* antedates *pyrrhus* by two years.

CHASEN, PAGE 83

Genus **NASALIS** E. Geoffroy, 1812

1812. *Nasalis* E. Geoffroy, Ann. Mus. H.N. Paris, 19: 90. *Nasalis larvatus* Geoffroy = *Cercopithecus* (*sic*) *larvatus* van Wurm.

CHASEN, PAGE 85

Genus **SIMIAS** Miller, 1903

The genera (or subgenera) *Simias*, *Rhinopithecus* and *Presbytiscus* seem very closely allied, and it appears unnecessary to have three genera for three snubnosed Monkeys.

Genus **RHINOPITHECUS** Milne-Edwards, 1872

1872. *Rhinopithecus* Milne-Edwards, Rech. H.N. Mamm. 233. *Semnopithecus roxellana* Milne-Edwards, from Szechuan, China.

1903. *Simias* Miller, Smiths. Misc. Coll. 45: 66. *Simias concolor* Miller. Valid as a subgenus.

1924. *Presbytiscus* Pocock, Abstr. P.Z.S. 17. *Rhinopithecus avunculus* Dollman, from Tonkin, Indo-China. Valid as a subgenus.

CHASEN, PAGE 86

FAMILY TARSIIDAE

Genus **TARSIVS** Storr, 1780

1780. *Tarsivus* Storr, Prodr. Meth. Mamm. 32. "*Lemur tarsivus*" Erxleben (Erxleben actually wrote *Lemur tarsier*) = *Simia syrichta* Linnaeus.

If one follows the classification of Chasen, then the prior specific name is

Tarsivus syrichta Linnaeus, 1758

(1758. *Simia syrichta* Linnaeus, Syst. Nat. 10th ed. 1: 29, Luzon, Philippine Islands.)

On this name see Cabrera, 1923, J. Mammal, 4: 89.

Osman Hill (1953) thinks the Malaysian Tarsiers should be regarded as races of *Tarsivus bancanus* Horsfield (Chasen, page 86).

CHASEN, PAGE 88

FAMILY LORISIDAE

Genus **NYCTICEBUS** E. Geoffroy, 1812

1812. *Nycticebus* E. Geoffroy, Ann. Mus. H.N. Paris, 19: 163. *Nycticebus bengalensis* Geoffroy = *Loris bengalensis* Fischer, the Bengal race of *Tardigradus coucang* Boddaert.

CHASEN, PAGE 89

ORDER CARNIVORA

FAMILY URSIDAE

Genus **HELARCTOS** Horsfield, 1825

1825. *Helarctos* Horsfield, J. Zool. 2: 221, 233. *Ursus malayanus* Raffles.

Chasen dated *Helarctos malayanus* from the year 1821 which is correct. Our dating of it from "1822" (1951, 241) was wrong.

CHASEN, PAGE 90

FAMILY MUSTELIDAE

Genus **MARTES** Pinel, 1792

1792. *Martes* Pinel, Actes Soc. d'H.N. Paris, 1: 55. *Martes domestica* Pinel = *Mustela foina* Erxleben, from Germany.
1829. *Zibellina* Kaup, Skizz. Europ. Thierw. 1: 31, 34. *Mustela zibellina* Linnaeus, from Siberia.
1865. *Charronia* Gray, P.Z.S. 108. *Mustela flavigula* Boddaert. Valid as a subgenus.
1928. *Lamprogale* Ognev, Mém. Soc. Amis. Sci. Nat. Mosc. No. 2, Zool. 26, 30. Proposed to replace *Charronia* on the grounds that it is preoccupied by an earlier name *Charonia* Gistel, 1848, for a genus of mollusc.

Genus **MUSTELA** Linnaeus, 1758

1758. *Mustela* Linnaeus, Syst. Nat. 10th ed. 1: 45. *Mustela erminea* Linnaeus, from Sweden.
1817. *Putorius* G. Cuvier, Règne Anim. 1: 147. *Mustela putorius* Linnaeus, from Sweden. Valid as a subgenus.
1841. *Gale* Wagner, Schreb. Säugth. Suppl. 2: 234. *Mustela vulgaris* Erxleben = *Mustela nivalis* Linnaeus, from Sweden.
1841. *Lutreola* Wagner, Schreb. Säugth. Suppl. 2: 239. *Viverra lutreola* Linnaeus, from Finland.

GENERIC SYNONYMY

MUSTELA [contd.]

1899. *Eumustela* Aclouque, Faune de France, Mamm. 62. *Mustela erminea* Linnaeus, here selected.
1911. *Kolonokus* Satunin, Mitt. Kauk. Mus. 5: 264. *Mustela sibirica* Pallas, from the western Altai, Siberia.
1921. *Plesiogale* Pocock, P.Z.S. 805. *Mustela nudipes* Cuvier. Not of Pomel, 1853.
1947. *Pocockictis* Kretzoi, Ann. H.N. Mus. Hung. 40: 285. Proposed to replace *Plesiogale* Pocock, preoccupied. *Mustela nudipes* F. Cuvier.

It is possible that *Mustela lutreolina*, which is listed by Chasen on page 90, is an outlying race of

Mustela sibirica Pallas, 1773
(1773. Reise Russ. Reichs, 2, appendix: 701. Vorposten Tigerazkoi, near Ust-Kamenogorsk, western Altai, Siberia.)

CHASEN, PAGE 91

Genus HELICTIS Gray, August, 1831 is antedated by *Melogale* I. Geoffroy, March, 1831, and we think that these two are congeneric.

Genus **MELOGALE** I. Geoffroy, 1831

1831. *Melogale* I. Geoffroy, Bélanger, Voy. Zool. Indes Orient. 129, (19 March). *Melogale personata* I. Geoffroy, from near Rangoon, Burma.
1831. *Helictis* Gray, P.Z.S. 94 (5th August). *Helictis moschata* Gray, from Kwantung, China. Valid as a subgenus.
1922. *Nesictis* Thomas, Ann. Mag. N.H. 9: 194. *Helictis everetti* Thomas, the Bornean race of *Gulo orientalis* Horsfield.

Genus **ARCTONYX** F. Cuvier, 1825

1825. *Arctonyx* F. Cuvier, in Geoffroy & Cuvier, H.N. Mamm. 3, pt. 51, pl. and text. *Arctonyx collaris* F. Cuvier.
1891. *Trichomanis* Hubrecht, Notes Leyd. Mus. 13: 241. *Trichomanis hoevenii* Hubrecht, the Sumatran race of *Arctonyx collaris* F. Cuvier.

CHASEN, PAGE 92

Genus **MYDAUS** F. Cuvier, 1821

1821. *Mydaus* F. Cuvier, in Geoffroy & Cuvier, H.N. Mamm. 2: Telagon, 2. *Mydaus meliceps* F. Cuvier = *Mephitis javanensis* Leschenault.
1939. *Suillotaxus* Lawrence, Bull. Mus. Comp. Zool. Harv. 86: 63. *Mydaus marchei* Huet, from Palawan, Philippine Islands. Valid as a subgenus.

CHASEN'S MALAYSIAN MAMMALS

Genus **LUTRA** Brisson, 1762

1762. *Lutra* Brisson, Regn. Anim. 13. *Mustela lutra* Linnaeus, from Sweden.
1771. *Lutra* Brünnich, Zool. Fundamenta, 34, 42. *Mustela lutra* Linnaeus.
1865. *Barangia* Gray, P.Z.S. 123. *Lutra sumatrana* Gray.
1865. *Lutrogale* Gray, P.Z.S. 127. "The species identified by Gray as *monticola* Hodgson, which is *perspicillata* I. Geoffroy, not *monticola* Hodgson." Valid as a subgenus.
1867. *Lutronectes* Gray, P.Z.S. 180. *Lutronectes whiteleyi* Gray = *Mustela lutra* Linnaeus.

Chasen, page 92, footnote 2; "for the genus splitter *Micraonyx* Allen, 1919 is available for *L. cinerea*". Even at the risk of coming in the category of "genus splitters" we believe that the short-clawed otters should be generically separated, and Chasen's statement is not quite correct; *Micraonyx* is the third available name for the short-clawed otters.

Genus **AONYX** Lesson, 1827. (Not recognized by Chasen)

1827. *Aonyx* Lesson, Man. Mamm. 157. *Aonyx delalandi* Lesson = *Lutra capensis* Schinz, from South Africa.
1832. *Amblonyx* Rafinesque, Atlantic J. 1: 62. *Amblonyx concolor* Rafinesque, the Assam race of *Lutra cinerea* Illiger. Valid as a subgenus.
1920. *Micraonyx* J. Allen, J. Mamm. 1: 24. *Lutra cinerea* Illiger. (= *Amblonyx*).

CHASEN, PAGE 93

FAMILY C A N I D A E

Genus **CUON** Hodgson, 1838

1838. *Cuon* Hodgson, Ann. Mag. N.H. 1: 152. *Canis primacvus* Hodgson, the Nepal race of *Canis alpinus* Pallas.
1839. *Chrysaeus* H. Smith, Jardine's Nat. Libr. Mamm. 25: 167. *Canis dukhunensis* Sykes, the Deccan race of *Canis alpinus* Pallas.
1888. *Anurocyon* Heude, Mém. H.N. Emp. Chin. 2: 102. *Anurocyon clamitans* Heude = *Canis lepturus* Heude, the southern Chinese race of *Canis alpinus* Pallas.

Chasen called the Malay Wild Dog *Cuon javanicus* Desmarest, 1820, but the earliest name for this species is

Cuon alpinus Pallas, 1811,

1811. *Canis alpinus* Pallas, Zoogr. Ross. Asiat. 1: 34, near Udskoi Ostrog, Amurland.

CHASEN, PAGE 94

FAMILY V I V E R R I D A E

Genus **PRIONODON** Horsfield, 1822

1822. *Prionodon* Horsfield, Zool. Res. Java, pt. 5. *Felis gracilis* Horsfield, the Javan race of *Viverra? linsang* Hardwicke
 1839 *Linsang* Müller, Verh. Nat. Ges. Nederl., 1, Taf. (3): 28. *Felis gracilis* Horsfield.
 1925. *Pardictis* Thomas, P.Z.S. 498. *Prionodon pardicolor* Hodgson, from Nepal. Valid as a subgenus.

Genus **VIVERRA** Linnaeus, 1758

1758. *Viverra* Linnaeus, Syst. Nat. 10th ed. 1: 43. *Viverra zibetha* Linnaeus.
 1933. *Moschothera* Pocock, J. Bombay N.H. Soc. 36: 441. *Viverra civettina* Blyth, the Travancore race of *Viverra megaspila* Blyth. Valid as a subgenus.

CHASEN, PAGE 95

Genus **VIVERRICULA** Hodgson, 1838

1838. *Viverricula* Hodgson, Ann. Mag. N.H. 1: 152. *Civetta indica* Geoffroy = *Viverra indica* Desmarest.

Chasen, 1935, *J. Siam. Soc. N.H. Suppl.* 10: 41 thought that the specific name *malaccensis* should be retained for this genus, but Pocock, 1933, *J. Bombay N.H. Soc.* 36: 629 regarded this name as not valid for this species, and as an alternative proposed to use *indica* Geoffroy, 1803, *Cat. Mamm.* 113, which is not available since Geoffroy's work was never published. Desmarest should be regarded as the author of *indica* (1817, *Viverra indica* Desmarest, *Nouv. Dict. H.N.* 7: 170, India). If one follows the classification of Pocock, then *atchinensis* Sody, 1931 becomes available, apparently, for the form called *Viverricula malaccensis malaccensis* by Chasen.

Genus **PARADOXURUS** F. Cuvier, 1821

1821. *Paradoxurus* F. Cuvier in Geoffroy & Cuvier, *Hist. Nat. Mamm.* 2, 24: Martre des Palmiers, 5. *Paradoxurus typus* F. Cuvier = *Viverra hermaphrodita* Pallas.
 1864. *Bondar* Gray, P.Z.S. 531. *Viverra bondar* Desmarest, the Bengal race of *Viverra hermaphrodita* Pallas.
 1864. *Macrodon* Gray, P.Z.S. 536. *Paradoxurus macrodon* Gray = *Viverra musanga javanica* Horsfield, the Javan race of *Viverra hermaphrodita* Pallas.

CHASEN'S MALAYSIAN MAMMALS

CHASEN, PAGE 98

Genus **PAGUMA** Gray, 1831

1831. *Paguma* Gray, P.Z.S. 1830-31: 95. *Gulo larvatus* Hamilton-Smith.
1837. *Ambliodon* Jourdan, C.R. Acad. Sci. Paris, 5: 445. *Paradoxurus*
jourdanii Gray, the Malaccan race of *Gulo larvatus* H. Smith.

CHASEN, PAGE 99

Genus **ARCTICTIS** Temminck, 1824

1824. *Arctictis* Temminck, Mon. Mamm. 1: xxi. *Viverra binturong*
Raffles.
1824. *Ictides* F. Cuvier, Dents Mamm. 252. *Viverra binturong* Raffles.

CHASEN, PAGE 100

Genus **ARCTOGALIDIA** Merriam, 1897

1897. *Arctogalidia* Merriam, Science, 5: 302. *Paradoxurus trivirgatus*
Gray. (Proposed to replace *Arctogale* Gray, 1864, with same
type, but not of Kaup, 1829.)

CHASEN, PAGE 101

Genus **HEMIGALUS** Jourdan, 1837

1837. *Hemigalus* Jourdan, C.R. Acad. Sci. Paris, 5: 442. *Hemigalus*
zebra Gray = *Viverra hardwickii* Gray (not of Lesson) = *Para-*
doxurus derbyanus Gray.
1837. *Hemigalea* Blainville, C.R. Acad. Sci. Paris, 5: 595 (emendation).
1865. *Hemigale* Gray, P.Z.S. 1864: 542 (emendation).
1912. *Diplogale* Thomas, Abstr. P.Z.S. 18. *Hemigale hosei* Thomas. Valid
as a subgenus.

CHASEN, PAGE 102

Genus **CYNOGALE** Gray, 1837

1837. *Cynogale* Gray, P.Z.S. 1836: 88. Mag. N.H. 1, 1837: 579.
Cynogale bennettii Gray.
1837. *Lamictis* Blainville, C.R. Acad. Sci. Paris, 5: 596. *Viverra car-*
charias Blainville.)
1838. *Potamophilus* Müller, Tijdschr. Nat. Gesch. Phys. 5: 140. *Potamo-*
philus barbatus Müller = *Cynogale bennettii* Gray.

Genus **HERPESTES** Illiger, 1811

1811. *Herpestes* Illiger, Prodr. Syst. Mamm. et Avium, 135, misprint,
corrected to *Herpestes*, 302. *Viverra ichneumon* Gmelin (= *Viverra ichneumon* Linnaeus), from Egypt.
1822. *Mangusta* Horsfield, Zool. Res. Java, unpagged, pt. 5. *Ichneumon*
javanicus E. Geoffroy.

GENERIC SYNONYMY

HERPESTES [*contd.*]

1837. *Urva* Hodgson, J. Asiat. Soc. Bengal, 6: 561. *Gulo urva* Hodgson.
 1865. *Calogale* Gray, P.Z.S. 1864: 560. *Herpestes nepalensis* Gray =
Mangusta auropunctata Hodgson.
 1865. *Calictis* Gray, P.Z.S. 1864: 564. *Herpestes smithii* Gray, from India.
 1865. *Taeniogale* Gray, P.Z.S. 1864: 569. *Herpestes vitticollis* Bennett,
 from Travancore, India.
 1865. *Onychogale* Gray, P.Z.S. 1864: 570. *Cynictis maccarthiae* Gray, one
 of the Ceylon races of *Herpestes fusca* Waterhouse, from southern
 India.

The species *Herpestes edwardsi* and *H. javanicus* both date from 1818, not "1812" as listed by Chasen on page 103.

CHASEN, PAGE 104

FAMILY FELIDAE

Chasen refers all cats from his region to the genus *Felis*. In 1951 we followed Pocock, Simpson and other authors in according generic rank to *Panthera* for the tiger, leopard, etc., and we followed Pocock in giving generic rank to the clouded leopard, *Neofelis*.

Genus **FELIS** Linnaeus, 1758

1758. *Felis* Linnaeus, Syst. Nat. 10th ed. 1: 41. *Felis catus* Linnaeus, the domestic cat.
 1792. *Lynx* Kerr, Anim. Kingd. Cat. Mamm. Nos. 288–299. *Felis lynx* Linnaeus, from Sweden. Valid as a subgenus.
 1829. *Pardina* Kaup, Skizz. Europ. Thierw. 1: 53, 57. *Felis pardina* Temminck, the Portuguese race of *Felis lynx* Linnaeus.
 1841. *Otocolobus* Brandt, Bull. Acad. Sci. St. Petersb. 9: 38. *Felis manul* Pallas, from the Jida River, south of Lake Baikal, Siberia. Valid as a subgenus.
 1843. *Chaus* Gray, List. Mamm. B.M. 44. *Felis chaus* Güldenstaedt, from the Terek River, north of the Caucasus, Russia.
 1843. *Caracal* Gray, List Mamm. B.M. 46. *Caracal melanotis* Gray = *Felis caracal* Schreber, from near Cape Town, South Africa. Valid as a subgenus.
 1858. *Profelis* Severtzov, Rev. Mag. Zool. 10: 386. *Felis celidogaster* Severtzov = *Felis aurata* Temminck (from West Africa). Valid as a subgenus to include also the Oriental species *Felis temmincki* Vigors & Horsfield.
 1858. *Prionailurus* Severtzov, loc. cit. 387. *Felis pardochrous* Hodgson = *Leopardus horsfieldii* Gray, the Bhutan race of *Felis bengalensis* Kerr. Valid as a subgenus.
 1858. *Zibethailurus* Severtzov, loc. cit. 387. *Felis viverrinus* Bennett.
 1858. *Catopuma* Severtzov, loc. cit. 387. *Felis moormensis* Hodgson = *Felis temminckii* Vigors & Horsfield.
 1858. *Pardofelis* Severtzov, loc. cit. 387. *Felis marmorata* Martin. Valid as a subgenus.

CHASEN'S MALAYSIAN MAMMALS

FELIS [*contd.*]

1858. *Ictailurus* Severtzov, *loc. cit.* 387. *Felis planiceps* Vigors & Horsfield. Valid as a subgenus.
1905. *Trichaelurus* Satunin, Ann. Mus. Zool. St. Petersb. 9: 495. Proposed as a substitute for *Otocolobus*, thought to be pre-occupied. See Pocock, 1939 (315).
1925. *Poliailurus* Lönnberg, Arkiv. Zool. Stockholm, 18A, 2: 2. *Felis pallida* Buechner = *Felis bieti* Milne-Edwards, from Szechuan, China.
1926. *Eremaelurus* Ognev, Ann. Mus. Zool. Leningrad, 27: 356. *Eremaelurus thinobius* Ognev, the Transcaspian race of *Felis margarita* Loche, from Algeria.
1932. *Badiofelis* Pocock, P.Z.S. 749. *Felis badia* Gray. Valid as a subgenus.

Genus **NEOFELIS** Gray, 1867. (Not recognized by Chasen)

1867. *Neofelis* Gray, P.Z.S. 265. *Felis macrocelis* Temminck = *Felis diardi* G. Cuvier, the Sumatran race of *Felis nebulosa* Griffith.

Genus **PANTHERA** Oken, 1816. (Not recognized by Chasen)

1816. *Panthera* Oken, Lehrb. Nat. 3, 2: 1052. *Felis pardus* Linnaeus.
1816. *Tigris* Oken, *loc. cit.* 1066. *Felis tigris* Linnaeus. Valid as a subgenus.
1816. *Leo* Oken, *loc. cit.* 1070. *Felis leo* Linnaeus, from Algeria. Valid as a subgenus.
1829. *Leo* Brehm, Isis (Oken), 637. *Leo asiaticus* Brehm = *Felis leo persicus* Meyer, the Persian race of *Felis leo* Linnaeus (type designated by Swynnerton & Hayman, 1951, J.E. Afr. N.H. Soc. 20: 335).
1843. *Tigris* Gray, List. Mamm. B.M. 40. *Felis tigris* Linnaeus.
1854. *Uncia* Gray, Ann. Mag. N.H. 14: 394. *Felis uncia* Schreber (from Central Asia). Valid as a subgenus.
1868. *Pardus* Fitzinger, S.B. Akad. Wiss. Wien, 58, 1: 459. *Felis pardus* Linnaeus.

On nomenclature of this genus see Ellerman & Morrison-Scott, (1951, 3 and 315).

CHASEN, PAGE 106

Chasen dates *Felis planiceps* Vigors & Horsfield from 1828; the correct date appears to be 1827.

CHASEN, PAGE 107

The reference to *Felis marmorata* should read 1837. *Felis marmorata* Martin, P.Z.S. 1836: 108.

CHASEN, PAGE 108

ORDER CETACEA

FAMILY BALAENIDAE¹

Genus **BALAENOPTERA** Lacépède, 1804

1804. *Balaenoptera* Lacépède, H.N. des Cétacés, xxxvi and 114. *Balaena rostrata* Fabricius = *Balaenoptera acutorostrata* Lacépède, from France.
1849. *Pterobalaena* Eschricht, K. Danske Vidensk. Selsk. Skr. 1: 108. *Balaena physalus* Linnaeus.
1864. *Sibbaldus* Gray, P.Z.S. 222. *Sibbaldus borealis* Gray (not of Lesson) = *Balaena musculus* Linnaeus.
1866. *Rudolphius* Gray, Cat. Seals & Whales B.M. 170. *Sibbaldius laticeps* Gray = *Balaenoptera borealis* Lesson.

CHASEN, PAGE 109

FAMILY PHYSETERIDAE²

Genus **PHYSETER** Linnaeus, 1758

1758. *Physeter* Linnaeus, Syst. Nat. 10th ed. 1: 76. *Physeter catodon* Linnaeus.

Genus **ZIPHIUS** G. Cuvier, 1823

1823. *Ziphius* G. Cuvier, Rech. Oss. Foss. 5, 1: 350. *Ziphius cavirostris* G. Cuvier.

FAMILY DELPHINIDAE³

Genus **ORCINUS** Fitzinger, 1860

1860. *Orcinus* Fitzinger, Wiss. Naturg. Säugeth. 6: 204. *Delphinus orca* Linnaeus. Proposed as a substitute for *Orca* Gray, 1846, not of Wagler, 1830.

On the nomenclature of this genus see Ellerman & Morrison Scott (1951, 739).

Genus **ORCAELLA** Gray, 1866

1866. *Orcaella* Gray, Cat. Seals & Whales B.M., 285. *Phoceana (Orca) brevirostris* Owen.

¹ It is more usual to refer *Balaenoptera* to the family Balaenopteridae.

² It is more usual to refer the genus *Ziphius* to the family Ziphiidae.

³ The genus "Meomeris" listed by Chasen = *Neomeris* Gray, 1846, and is sometimes referred to a distinct family Phocaenidae.

CHASEN'S MALAYSIAN MAMMALS

Genus **NEOMERIS** Gray, 1846

1846. *Neomeris* Gray, Zool. Voy. Erebus & Terror, 1, Mamm.: 30. *Delphinus phocaenoides* G. Cuvier.
1847. *Meomeris* Gray, List Osteol. Specimens B.M., xii, 36 (misprint).
1899. *Neophocaena* Palmer, Proc. Biol. Soc. Washington, 13: 23. For *Neomeris* believed to be preoccupied by *Neomeris* Lamouroux, 1816, thought to have been a polyp, but which appears to be an alga (see Thomas, 1922, Ann. Mag. N.H. 11: 676, and 1925, *ibid.* 16: 655).

CHASEN, PAGE 110

Genus **GLOBICEPHALA** Lesson, 1828

1828. *Globicephala* Lesson, H.N. Mamm. et Ois. depuis 1788, Cétacés, 441. *Delphinus deductor* Scoresby = *Delphinus melas* Traill, from the Orkney Islands.

Genus **DELPHINUS** Linnaeus, 1758

1758. *Delphinus* Linnaeus, Syst. Nat. 10th ed. 1: 77. *Delphinus delphis* Linnaeus.

The correct reference for *Delphinus delphis* Linnaeus is not 1766 as given by Chasen, but 1758. *Delphinus delphis* Linnaeus, Syst. Nat. 10th ed. 1: 77, European Seas.

Genus **PRODELPHINUS** van Beneden & Gervais, 1877, is antedated by *Stenella* Gray.

Genus **STENELLA** Gray, 1866

1866. *Stenella* Gray, P.Z.S. 213. *Steno attenuatus* Gray, from an unknown locality.
1877. *Prodelphinus* van Beneden & Gervais, Ost. des Cétacés, 604, Substitute for *Clymenia* Gray, 1868 for which no type was specified and which is not of Munster, 1839.

Genus **STENO** Gray, 1846

1846. *Steno* Gray, Zool. Erebus & Terror, 1, Mamm.: 43. *Delphinus rostratus* Desmarest = *Delphinus bredanensis* Lesson.

As we pointed out (1951, 734) *Delphinus rostratus* Desmarest, 1817, which Chasen and earlier authors used for the Rough-toothed Dolphin is preoccupied (not of Shaw, 1801), and it is therefore necessary to call this species

Steno bredanensis Lesson, 1828.

1828. *Delphinus bredanensis* Lesson, H.N. Mamm. et Ois. depuis 1788, Cétacés, 206. European Seas.

(It appears that *Delphinus frontatus* G. Cuvier, 1823, is not available for this species; see Flower, 1884, P.Z.S. 1883: 482).

GENERIC SYNONYMY

Genus **SOTALIA** Gray, 1866

1866. *Sotalia* Gray, Cat. Seals & Whales B.M., 393, 401. *Sotalia guianensis* van Beneden, from British Guiana.
1866. *Sousa* Gray, P.Z.S. 213. *Steno lentiginosus* Gray, from Madras.

Sousa was published in September, 1866, and we have evidence that *Sotalia* can be dated from March, 1866.

We take this opportunity of saying that the first reference to *Sotalia lentiginosa* seems to be

1866. *Steno lentiginosus* Gray, Cat. Seals, Whales B.M., 394.

Genus **TURSIOPS** Gervais, 1855

1855. *Tursiops* Gervais, H.N. des Mamm. 2: 323. *Delphinus truncatus* Montagu, from England.

The species *T. catalania* Gray, 1862, which Chasen lists from Sumatra and Java is a synonym of the earlier described

Tursiops aduncus Ehrenberg, 1833.

1833. *Delphinus aduncus* Ehrenberg in Hemprich & Ehrenberg, Symb. Phys. Mamm. 2: sig. k (footnote). Belhosse Island, Red Sea.

For full synonymy, following Dr. F. C. Fraser, see Ellerman & Morrison-Scott (1951, 736).

CHASEN, PAGE 111

ORDER EDENTATA

FAMILY MANIDAE

Genus **MANIS** Linnaeus, 1758

1758. *Manis* Linnaeus, Syst. Nat. 10th ed. 1: 36. *Manis pentadactyla* Linnaeus, from Formosa.
1815. *Pangolinus* Rafinesque, Analyse, 57. No type: (1821, Ann. Sci. Phys. Bruxelles, 7: 214. *Manis pentadactyla* Linnaeus).
1843. *Phatages* Sundevall, K. Svenska Vetensk. Akad. Handl. 1842: 258, 273 (vel *Phatagenus*). *Manis laticauda* Illiger = *Manis crassicaudata* Gray, from India.
1924. *Paramanis* Pocock, P.Z.S. 722. *Manis javanica* Desmarest. Valid as a subgenus.

ORDER LAGOMORPHA

FAMILY LEPORIDAE

Chasen preferred to list the Leporidae as a family of Rodentia but many, or most, authors now separate the hares and their allies as a distinct order Lagomorpha. See particularly Simpson (1945, 196).

CHASEN'S MALAYSIAN MAMMALS

Genus **NESOLAGUS** Forsyth Major, 1899

1899. *Nesolagus* Forsyth Major, Trans. Linn. Soc. London, Zool. 7: 493.
(As a subgenus of *Caprolagus* Blyth, 1845.) *Lepus netscheri*
Schlegel.

Genus **LEPUS** Linnaeus, 1758

1758. *Lepus* Linnaeus, Syst. Nat. 10th ed. 1: 57. *Lepus timidus* Linnaeus,
from Sweden.
1829. *Chionobates* Kaup, Skizz. Europ. Thierw. 1: 170. *Lepus variabilis*
Pallas = *Lepus timidus* Linnaeus, here selected.
1867. *Eulagos* Gray, Ann. Mag. N.H. 20: 222. *Lepus mediterraneus*
Wagner, the Sardinian race of *Lepus capensis* Linnaeus, from
South Africa (type selected by Ellerman & Morrison-Scott,
1951).
1929. *Allolagus* Ognev, Zool. Anz. 34: 71. *Lepus mandshuricus* Radde,
from Amurland. Valid as a subgenus.
1947. *Tarimolagus* Gureev, C.R. Acad. Sci. U.R.S.S. 57, 5: 517. *Lepus*
yarkandensis Günther, from Chinese Turkestan. Valid as a
subgenus.

CHASEN, PAGE 112

ORDER RODENTIA

FAMILY SCIURIDAE

Genus **PETAURISTA** Link, 1795

1795. *Petaurista* Link, Beytr. Naturgesch. 1, 2: 78. "*Sciurus petaurista* L."
= *Sciurus petaurista* Gmelin, (1789, Linn. Syst. Nat. 1: 155) =
Sciurus petaurista Pallas.
1840. *Galeolemur* Lesson, Spec. Mamm. 261. *Galeopithecus macrourus*
Temminck from Ceylon (?). Based on a *Petaurista* according to
Thomas, 1908, Ann. Mag. N.H. 1: 252. Best regarded as
unidentifiable.)

Pteromys of some earlier authors including Blanford, 1888-91, Fauna
Brit. India, 360 but not *Pteromys* G. Cuvier, 1800.

Petaurista petaurista nitidulus (Chasen, page 112) is more likely a race
of *Petaurista elegans*.

CHASEN, PAGE 114

Genus **IOMYS** Thomas, 1908

1908. *Iomys* Thomas, Ann. Mag. N.H. 1: 1. *Pteromys* (*Sciuropterus*)
horsfieldii Waterhouse.

GENERIC SYNONYMY

CHASEN, PAGE 116

Genus **PTEROMYSCUS** Thomas, 1908

1908. *Pteromyscus* Thomas Ann. Mag. N.H. 1: 3. *Sciuropterus pulverulentus*
Günther.

Genus **PETAURILLUS** Thomas, 1908

1908. *Petaurillus* Thomas, Ann. Mag. N.H. 1: 3. *Sciuropterus hosei*
Thomas.

Genus **HYLOPETES** Thomas, 1908

1908. *Hylopetes* Thomas, Ann. Mag. N.H. 1: 6. *Sciuropterus everetti*
Thomas, the Natuna Islands race of *Pteromys lepidus* Horsfield.
1915. *Eoglaucmys* Howell, Proc. Biol. Soc. Washington, 28: 109.
Sciuropterus fimbriatus Gray. Valid as a subgenus.

Dr. G. H. H. Tate informed us that he had examined the type skull of *Sciurus sagitta* Linnaeus (hitherto used as the prior name of the small Indomalayan *Hylopetes* by most authors) and that it is a *Petinomys* "and seems to be most closely allied to the species *genibarbis*". Thus it will apparently be necessary to call the Small Flying Squirrel

Hylopetes lepidus Horsfield, 1822

(1822. *Pteromys lepidus* Horsfield, Zool. Res. Java, No. 5 (plate and text page unnumbered). October, 1822. Java.)

On the specific status of *Hylopetes platyurus* (Chasen, page 118) see Ellerman (1949, 13) where it is suggested that *platyurus* is a race of *sagitta* (= *lepidus*) on account of the fact that Sumatran examples of *platyurus* in the British Museum are not specifically distinguishable from other races of *lepidus* whereas *Hylopetes spadiceus* (Chasen, page 118), which it is suggested is a valid species, stands apart from *H. lepidus* and its races on account of its larger bullae.

"*Hylopetes*" *thomasi* listed by Chasen on page 118, and whose reference should read Ann. Mag. N.H. (7) 5: 215, is a valid species but in the genus *Aeromys* (Chasen, page 120).

CHASEN, PAGE 119

Genus **PETINOMYS** Thomas, 1908

1908. *Petinomys* Thomas, Ann. Mag. N.H. 1: 6. *Sciuropterus lugens*
Thomas, the Sipora Island race of *Sciuropterus hageni* Jentink.
(1942. *Olisthomys* Carter, Amer. Mus. Nov. 1208: 2. *Pteromys* (*Olisthomys*)
morrisi Carter, from Burma.)

It is probable that

Petinomys sagitta Linnaeus, 1766

(Chasen, page 116) will be the prior specific name for *Petinomys genibarbis* (Chasen, page 119), according to Dr. G. H. H. Tate, who has

examined the type skull of *sagitta* and informed us that it is a *Petinomys*; see note under *Hylomys*, above.

The date of *Petinomys setosus* was not earlier than 1844 and was probably 1845.

CHASEN, PAGE 120

Genus **AEROMYS** Robinson & Kloss, 1915

1915. *Aeromys* Robinson & Kloss, J. Fed. Malay States Mus. 6: 23.
Pteromys tephromelas Günther.

Genus **RATUFA** Gray, 1867

1867. *Ratufa* Gray, Ann. Mag. N.H. 20: 273. *Sciurus indicus* Erxleben, from Bombay Presidency, India.
1867. *Rukaia* Gray, Ann. Mag. N.H. 20: 275, 276. *Sciurus macrourus* Pennant, from Ceylon.
1880. *Eosciurus* Trouessart, Le Naturaliste, 2, 37: 291. *Sciurus bicolor* Sparrman.

CHASEN, PAGE 123

Ratufa affinis masae dates from 1903.

CHASEN, PAGE 125

(Genus **SCIURUS** Linnaeus, 1758, Syst. Nat. 10th ed. 1: 63, *Sciurus vulgaris* Linnaeus, from Sweden. The genus *Sciurus* is usually restricted to Palearctic and American species, the Indomalayan species being referred to *Callosciurus*. But there is no very basic difference between *Sciurus* and *Callosciurus* other than the baculum, which is not known in all species of *Callosciurus*, and Chasen's arrangement has much to commend it. Nevertheless it seems wisest to recognize *Callosciurus*.)

Genus **CALLOSCIURUS** Gray, 1867. (Not recognized by Chasen)

1867. *Callosciurus* Gray, Ann. Mag. N.H. 20: 277. *Sciurus rafflesii* Vigors & Horsfield, from Sumatra, a race of *Sciurus prevostii* Desmarest.
1867. *Baginia* Gray, loc. cit. 279. *Sciurus notatus* Boddaert.
1867. *Erythrosciurus* Gray, loc. cit. 285. *Sciurus ferrugineus* F. Cuvier, from Burma, which is probably a race of *Sciurus fulaysoni* Horsfield, from Koh Chang, Siam.
1880. *Heterosciurus* Trouessart, Le Naturaliste, 1: 292. *Sciurus erythraeus* Pallas.
1906. *Tamiops* J. Allen, Bull. Amer. Mus. N.H. 22: 475. *Sciurus macclellandi* Horsfield. Valid as a subgenus. (Listed as a genus by Chasen, page 148.)

GENERIC SYNONYMY

CALLOSCIURUS [*contd.*]

1915. *Tomeutes* Thomas, Ann. Mag. N.H. 15: 385. *Sciurus lokroides* Hodgson, the Nepal race of *Sciurus pygerythrus* I. Geoffroy.
 1954. *Rubrisciurus* Ellerman in Laurie & Hill, Mamm. New Guinea & Celebes: 94. *Sciurus rubriventer* Forsten, from Celebes. Valid as a subgenus.

CHASEN, PAGE 130

The form *suffusus* probably represents *C. notatus* rather than *C. provosti*.

CHASEN, PAGE 137

For *Sciurus vittatus conipus* read *Sciurus notatus conipus*.

CHASEN, PAGE 145

Genus **MENETES** Thomas, 1908

1908. *Menetes* Thomas, J. Bombay N.H. Soc. 18, 2: 244. *Sciurus bermorei* Blyth.

Genus **LARISCUS** Thomas & Wroughton, 1909

1867. *Laria* Gray, Ann. Mag. N.H. 20: 276. *Sciurus insignis* F. Cuvier. Not of Scopoli, 1763.
 1909. *Lariscus* Thomas & Wroughton, P.Z.S. 389. *Nom. nov.* for *Laria*. *Sciurus insignis* F. Cuvier.
 1947. *Paralariscus* Ellerman, P.Z.S. 117, 1: 259. *Sciurus hosei* Thomas. Valid as a subgenus.

CHASEN, PAGE 147

Genus **DREMOMYS** Heude, 1898

1898. *Dremomys* Heude, Mém. H.N. Emp. Chinois, 4, 2: 54. *Sciurus pernyi* Milne-Edwards, from Szechuan, China.
 1908. *Zetis* Thomas, J. Bombay N.H. Soc. 18: 245. *Sciurus rufigenis* Blanford.

Genus **RHINOSCIURUS** Blyth, 1855

1843. *Rhinosciurus* Gray, List Spec. Mamm. in Coll. of the B.M., 195. *Nomen nudum* ⁽¹⁾.
 1855. *Rhinosciurus* Blyth, J. Asiat. Soc. Bengal, 24: 477. *Rhinosciurus tupaoides* Blyth, the Malaccan race of *Sciurus laticaudatus* Müller.

The reference to *Sciurus laticaudatus* is 1844, Müller & Schlegel in Temminck, Verh. Nat. Ges. Nederl. Overz. Bezitt., 87.

¹ Chasen dates *Rhinosciurus* from Gray, 1843. But the only "indication" Gray gives is a qualified synonymic reference. The name is therefore a *nomen nudum* (see paragraph 122 of the *Copenhagen Decisions on Zoological Nomenclature*) and the first valid use appears to be of Blyth, 1855.

CHASEN'S MALAYSIAN MAMMALS

CHASEN, PAGE 148

Genus **TAMIOPS** J. Allen, 1906, is antedated by *Callosciurus* Gray, 1867, and we consider *Tamiops* is a subgenus of *Callosciurus*. See above under *Callosciurus*, where the reference is given.

Genus **GLYPHOTES** Thomas, 1898

1898. *Glyphotes* Thomas, Ann. Mag. N.H. 2: 250. *Glyphotes simus* Thomas.

CHASEN, PAGE 149

Genus **RHEITHROSCIURUS** Gray, 1867

1867. *Rheithrosciurus* Gray, Ann. Mag. N.H. 20: 271. *Sciurus macrotis* Gray.

Genus **NANNOSCIURUS** Trouessart, 1880

1880. *Nannosciurus* Trouessart, Le Naturaliste, 1: 292. *Sciurus melanotis* Müller & Schlegel.

CHASEN, PAGE 150

FAMILY **S P A L A C I D A E** is a valid family for *Spalax* from the eastern Mediterranean region, but most recent authors seem agreed that *Rhizomys* has little to do with *Spalax*, and refer the latter to a distinct family Rhizomyidae.

FAMILY **R H I Z O M Y I D A E**

Genus **RHIZOMYS** Gray, 1831

1831. *Rhizomys* Gray, P.Z.S. 95. *Rhizomys sinensis* Gray, from China.

1832. *Nyctocleptes* Temminck, Bijdragen Nat. Wetensch. Amsterdam, 7: 5. *Mus sumatrensis* Raffles. Valid as a subgenus.

Rhizomys pruinus dates from 1851 (not 1852 as listed by Chasen).

Rhizomys sumatrensis dates from 1821 as listed by Chasen (not "1822" as listed by Ellerman & Morrison-Scott, 1951) and we take this opportunity of saying that the related species *Cannomys badius* dates from 1841, not "1842" as listed by us in 1951.

CHASEN, PAGE 151

FAMILY **M U R I D A E**

Genus **RATTUS** Fischer, 1803

1803. *Rattus* Fischer, National Mus. Nat. Paris, 2: 128 (misprinted *Ruttus*). *Mus decumanus* Pallas = *Mus norvegicus* Berkenhout.

1881. *Epimys* Trouessart, Bull. Soc. Études Sci. Angers, 10: 117. *Mus rattus* Linnaeus.

GENERIC SYNONYMY

RATTUS [contd.]

1903. *Lenothrix* Miller, Proc. U.S. Nat. Mus. 26: 466. *Lenothrix canus* Miller. Valid as a subgenus.
1905. *Bullimus* Mearns, Proc. U.S. Nat. Mus. 28: 450. *Bullimus bagopus* Mearns, a race of *Rattus luzonicus* Thomas, from the Philippine Islands.
1905. *Limnomys* Mearns, loc. cit. 451. *Limnomys sibuanus* Mearns, from the Philippine Islands.
1905. *Tarsomys* Mearns, loc. cit. 453. *Tarsomys apoensis* Mearns, from the Philippine Islands.
1905. *Apomys* Mearns, loc. cit. 455. *Apomys hylocoetes* Mearns, from the Philippine Islands. Valid as a subgenus.
1910. *Stenomys* Thomas, Ann. Mag. N.H. 6: 507. *Mus verecundus* Thomas, from New Guinea. Valid as a subgenus.
1910. *Bunomys* Thomas, Ann. Mag. N.H. 6: 508. *Mus coelestis* Thomas, from Celebes.
1911. *Millardia* Thomas, J. Bombay N.H. Soc. 20, 4: 998. *Golunda meltada* Gray, from Dharwar, India. Valid as a subgenus.
1911. *Grypomys* Thomas, J. Bombay N.H. Soc. 20, 4: 999. *Mus gleadowi* Murray, from western Sind, India.
1912. *Cremnomys* Wroughton, J. Bombay N.H. Soc. 21: 340. *Cremnomys cutchicus* Wroughton, from Cutch, India. Valid as a subgenus.
1916. *Diplothrix* Thomas, J. Bombay N.H. Soc. 24, 3: 404, footnote. *Lenothrix legata* Thomas, from Amamioshima, Liukiu Islands. Valid as a subgenus.
1917. *Guyia* Thomas, J. Bombay N.H. Soc. 25, 2: 201. *Millardia kathleenae* Thomas, from Burma.
1936. *Maxomys* Sody, Naturk. Tijdschr. Ned. Ind. 96: 55. *Mus bartelsi* Jentink. Valid as a subgenus.
1941. ¹*Madromys* Sody, Treubia, 18, 2: 260. *Mus blanfordi* Thomas, from Madras, India.
1941. *Taeromys* Sody, loc. cit. *Mus celebensis* Gray, from Celebes.
1941. *Pullomys* Sody, loc. cit. *Mus pulliventer* Miller, from the Nicobar Islands.
1941. *Mollicomys* Sody, loc. cit. *Mus hoffmani* Matschie, from Celebes.
1941. *Geromys* Sody, loc. cit. *Mus gestri* Thomas, a New Guinea race of *Rattus sordidus* Gould, from Australia.
1941. *Frateromys* Sody, loc. cit. *Mus fratrorum* Thomas (= *Rattus chryso-comus* Hoffman?), from Celebes.
1941. *Cironomys* Sody, loc. cit. *Rattus hoogerwerfi* Chasen.
1941. *Christomys* Sody, loc. cit. *Mus macleari* Thomas.
1941. *Arcuomys* Sody, loc. cit. *Rattus arcuatus* Tate & Archbold, from Celebes.
1941. *Octomys* Sody, loc. cit. 261. Not of Thomas, 1920.
1941. *Millardomys* Sody, loc. cit. *Millardia kathleenae* Thomas.
1947. *Leopoldamys* Ellerman, P.Z.S. 117, 1: 261, 267. *Mus sabanus* Thomas. Valid as a subgenus.

¹ The eleven generic names proposed by Sody in 1941 do not comply with Article 25 (c) of the Rules, neither does Sody indicate how they differ from allied genera. They have no status or availability.

RATTUS [contd.]

1947. *Berylmys* Ellerman, P.Z.S. 117, 1: 261, 267. *Epinys manipulus* Thomas, from western Burma. Valid as a subgenus.
1954. *Paruromys* Ellerman in Laurie & Hill, Mamm. New Guinea & Celebes, 117. *Rattus dominator* Thomas, from Celebes. Valid as a subgenus.

According to the classification offered in Ellerman (1949) the species listed by Chasen could be divided into the following subgenera (not including a few listed by Chasen which are not represented in the British Museum).

Subgenus *RATTUS* Fischer, 1803

Rattus rattus (Chasen, page 151)

Rattus concolor (Chasen, page 159) which is a race of

Rattus exulans Peale, 1848 (U.S. Explor. Exped. 8: 47 (N.V.) Tahiti),

Rattus annandalei (Chasen, page 160)

Rattus norvegicus (page 182) and

Rattus baluensis (page 158) which as Chasen suggests is a high level form of *R. rattus*.

Subgenus *STENOMYS* Thomas, 1910

Rattus muelleri (page 161)

Rattus infraluteus (page 163)

Rattus macleari (page 164)

Rattus nativitatis (page 183)

Rattus bowersi (page 182).

Subgenus *MAXOMYS* Sody, 1936

Rattus bartelsi (page 179)

Rattus inflatus (page 175, but it is an aberrant species)

Rattus cremoriventer (page 175)

Rattus "rapit" 1903 (page 176) is antedated by *R. lepturus* 1879, erroneously listed as a race by Chasen, but it is suggested that this group represents

Rattus fulvescens Gray, 1847 (*Mus fulvescens* Gray, Cat. Hodgson Coll. 18, Nepal);

Rattus bukit (page 178), but it is suggested that this represents **Rattus niviventer** Hodgson, 1836 (*Mus (Rattus) niviventer* Hodgson, J. Asiat. Soc. Bengal, 5: 234, Katmandu, Nepal).

Subgenus *LENOTHRIX* Miller, 1903

Rattus rajah and *R. surifer* (page 168), but these two are probably conspecific, and *rajah* has priority;

Rattus alticola (page 179)

GENERIC SYNONYMY

Subgenus *LENOTHRIX* [contd.]

Rattus baeodon (page 179)

Rattus hylomyoides (page 179) which is certainly not a race of *alticola* if these species are to be definable;

Rattus canus (page 183) and

Rattus whiteheadi (page 180) which it is suggested may represent

Rattus musschenbroeki Jentink, 1879 (*Mus muschenbroekii* Jentink, Notes Leyden Mus. 1: 10, Menado, Celebes).

Subgenus *LEOPOLDAMYS* Ellerman, 1947

Rattus sabanus (page 164)

Rattus edwardsi (page 182)

CHASEN, PAGE 161

The form *remotus* is a race of *muelleri* rather than *annandalei*; (Ellerman, 1949, 43). *Rattus muelleri* dates from 1879, not as listed by Chasen.

CHASEN, PAGE 163

The form *Rattus muelleri borneanus* dates from 1913.

CHASEN, PAGE 167

Rattus siporanus is a race of *R. edwardsi* (Chasen, page 182) (Ellerman, 1949, 45).

CHASEN, PAGE 175

Rattus inflatus dates from 1916.

CHASEN, PAGE 176

The form *malawali* (on evidence of the type specimen) seems not to be a race of *R. cremoriventer*, and is much more like *R. canus* (Chasen, page 183).

CHASEN, PAGE 181

On the evidence of the type specimen the form *piratae*, with very large palatal foramina, seems not to be a race of *whiteheadi*.

CHASEN, PAGE 182

The earliest reference to *Rattus norvegicus* seems to be 1769. *Mus norvegicus* Berkenhout, Outlines N.H. Great Britain & Ireland, 1: 5, Great Britain (*N.V.*).

Rattus bowersi dates from 1879, not as in Chasen.

CHASEN, PAGE 183

Genus **MUS** Linnaeus, 1758

1758. *Mus* Linnaeus, Syst. Nat. 10th ed. 1: 59. *Mus musculus* Linnaeus.
 1837. *Leggada* Gray, Charlesworths Mag. N.H. 1: 586. *Mus booduga* Gray, from India.
 1914. *Leggadilla* Thomas, J. Bombay N.H. Soc. 22, 4: 682. *Mus platythrix* Bennett, from India.
 1915. *Coelomys* Thomas, J. Bombay N.H. Soc. 23, 3: 414. *Coelomys mayori* Thomas, from Ceylon. Valid as a subgenus.
 1916. *Oromys* Robinson & Kloss, J. Straits Branch R. Asiat. Soc. 73: 270. *Oromys crociduroides* Robinson & Kloss. Not of Leidy, 1853.
 1917. *Tautatus* Kloss, J.N.H. Soc. Siam, 2: 279. *Tautatus thai* Kloss, the Siam race of *Mus cervicolor* Hodgson, from Nepal.
 1918. *Mycteromys* Robinson & Kloss, J. Fed. Malay States Mus. 8: 57. To replace *Oromys* Robinson & Kloss, preoccupied. *Oromys crociduroides* Robinson & Kloss. Valid as a subgenus.

For a revision of *Mus musculus* see Schwarz & Schwarz, 1943, *J. Mamm.* 24: 59. Of the forms listed by Chasen on page 184, they regard *rama* as a synonym of *Mus musculus castaneus* (*Mus castaneus* Waterhouse, 1843, Ann. Mag. N.H. 12: 134, Philippine Islands) and *ouwensi* as a synonym of *Mus musculus homourus* (*Mus homoourus* Hodgson, 1845, Ann. Mag. N.H. 15: 268, Nepal).

See also *Mycteromys*, below.

CHASEN, PAGE 184

Genus **CHIROPODOMYS** Peters, 1868

1868. *Chiropodomys* Peters, Mber. Preuss. Akad. Wiss. 448. *Chiropodomys penicillatus* Peters = *Mus gliroides* Blyth.
 1934. *Insulaemus* Taylor, Philippine Land Mamm. 469. *Insulaemus calamianensis* Taylor.

We suggest that the forms *anna* and *pictor* (page 185) are well marked outlying races of *C. gliroides*, and in British Museum material *peguensis* is not distinguishable from typical *gliroides*. Our latest researches show that *C. gliroides* should date from the year 1856.

CHASEN, PAGE 185

Genus **HAEROMYS** Thomas, 1911

1911. *Haeromys* Thomas, Ann. Mag. N.H. 7: 207. *Mus margarettae* Thomas.

GENERIC SYNONYMY

Genus **HAPALOMYS** Blyth, 1859

1859. *Hapalomys* Blyth, J. Asiat. Soc. Bengal, 28: 296. *Hapalomys longicaudatus* Blyth.

Genus **MYCTEROMYS** Robinson & Kloss, 1918; see above under *Mus*, of which it would appear to be a subgenus.

The form *Mycteromys crociduroides vulcani* should probably be considered as a race of

Mus pahari Thomas, 1916

(J. Bombay N.H. Soc. 24, 3: 415 Batasia, Sikkim), and to belong to the subgenus *Coelomys*. If it is desired to reduce the number of subgenera in Asiatic *Mus*, then *Coelomys* antedates *Mycteromys*. For comparison of these forms see Ellerman, 1949, 131 where *pahari*, *crociduroides* and *vulcani* are compared.

CHASEN, PAGE 186

Genus **PITHECHEIR** Lesson, 1840

1840. *Pithecheir* Lesson, Species des Mammifères, 264. *Pithecheir melanurus* Lesson, *loc. cit.* 265. (Type locality: western Sumatra.)

We do not know why Chasen listed Java as the type locality. Lesson's name is based on F. Cuvier, 1833, H.N. Mamm. livraison 66, which was a vernacular description of "Pithecheir melanure". Here Cuvier says: as for the countries where it lives and where it will one day no doubt be found again, I have reason to presume, from the date on which I received the painting, and from the paintings which accompanied this one, that the animal comes from the provinces north of Bengal, if it is not from the western parts of Sumatra. Cuvier's friend Alfred Duvaucel had died, and Cuvier only received the painting of the animal, no notes or specimen. Cuvier did not know the scale of the painting, but guessed it was a beast about the size of a rat. Therefore as *Pithecheir* is not known from Bengal (its sole known distribution is Malay States, Sumatra and Java), we suggest restriction of its type locality to western Sumatra, the only other locality mentioned by Cuvier. F. Cuvier, 1842, H.N. Mamm. Tabl. Gén. 4 is an index which gives a scientific name for "Pithecheir melanure". It is valid but antedated by Lesson.

Lesson, 1838, Compléments de Buffon, 477, is a vernacular summary of F. Cuvier (1833) and has no validity. We have not this book, but Dr. Jean Dorst kindly looked it up for us in the Bibliothèque Nationale.

Genus **BANDICOTA** Gray, 1873

1873. *Bandicota* Gray, Ann. Mag. N.H. 12: 418. *Bandicota gigantea* Hardwicke = *Mus indicus* Bechstein.

1907. *Gunomys* Thomas, Ann. Mag. N.H. 20: 203. *Arvicola bengalensis* Gray.

CHASEN'S MALAYSIAN MAMMALS

It appears that *Bandicota bengalensis* should date from 1835 (not "1833" as listed in Ellerman & Morrison-Scott (1951) nor "1832-35" as in Chasen) and we take this opportunity of stating that the closely allied species *Nesokia indica* Gray should date from 1830, and not as listed by us (1951). Both *Nesokia indica* and *Bandicota bengalensis* are of Gray.

Genus GUNOMYS Thomas, 1907; see under *Bandicota* of which it is a synonym.

Listed as valid by Chasen, but only used by genus-splitters.

CHASEN, PAGE 187

FAMILY HYSTRICIDAE

Genus **HYSTRIX** Linnaeus, 1758

1758. *Hystrix* Linnaeus, Syst. Nat. 10th ed. 1: 56. *Hystrix cristata* Linnaeus, from Italy.

1823. *Acanthion* F. Cuvier, Mém. Mus. H.N. Paris, 9: 425, 431. *Acanthion javanicum* F. Cuvier. Valid as a subgenus.

CHASEN, PAGE 188

We suggest that it is probable *H. javanica* is a valid species (with *sumbawae* as a race), and we suggest that *Thecurus*, which Chasen did not recognize, is a valid genus; see also Ellerman (1949, 3).

Genus **THECURUS** Lyon, 1907. (Not recognized by Chasen)

1907. *Thecurus* Lyon, Proc. U.S. Nat. Mus. 32: 582. *Thecurus sumatrae* Lyon, the Sumatran race of *Hystrix crassispinis* Günther.

The species *H. crassispinis* dates from 1877, not as listed by Chasen.

Genus **ATHERURUS** F. Cuvier, 1829

1829. *Atherurus* F. Cuvier, Dict. Sci. Nat. 59: 483. *Hystrix macrourus* Linnaeus.

CHASEN, PAGE 189

Genus **TRICHYS** Günther, 1877

1877. *Trichys* Günther, P.Z.S. 1876: 739. *Trichys lipura* Günther.

GENERIC SYNONYMY

ORDER SIRENIA

FAMILY DUGONGIDAE

Genus **DUGONG** Lacépède, 1799

1799. *Dugong* Lacépède, Tabl. Mamm. 17. *Dugong indicus* Lacépède = *Trichecus* (sic) *dugon* Müller.
1811. *Halicore* Illiger, Prodr. Syst. Mamm. et Avium, 140. *Trichechus dugong* Gmelin = *Trichechus dugon* Müller.

CHASEN, PAGE 190

ORDER "UNGULATA"

It is customary to divide the Order Ungulata of earlier authors as listed below.

(ORDER PROBOSCIDEA)

FAMILY ELEPHANTIDAE

Genus **ELEPHAS** Linnaeus, 1758

1758. *Elephas* Linnaeus, Syst. Nat. 10th ed. 1: 33. *Elephas maximus* Linnaeus.

The reference to *Elephas maximus indicus* (Chasen, page 190) is 1797. *Elephas indicus* G. Cuvier, Tabl. Élém. H.N. 148, India.

(ORDER ARTIODACTYLA)

FAMILY SUIDAE

Genus **SUS** Linnaeus, 1758

1758. *Sus* Linnaeus, Syst. Nat. 10th ed. 1: 49. *Sus scrofa* Linnaeus, from Germany. (Opinion 75 of the International Commission on Zool. Nomenclature.)
1847. *Porcula* Hodgson, J. Asiat. Soc. Bengal. 16: 423. *Porcula salvania* Hodgson, from Sikkim Terai, India. Valid as a subgenus.
1869. *Euhys* Gray, Cat. Carnivora, etc. Brit. Mus. 339. *Sus barbatus* Müller.
1873. *Aulacochoerus* Gray, Ann. Mag. N.H. 11: 435. *Sus vittatus* Müller = *Sus vittatus* Boie, from Sumatra, a race of *Sus scrofa* Linnaeus.
1873. *Dasychoerus* Gray, loc. cit. *Sus verrucosus* Müller & Schlegel.
1892. *Sinismus* Heude, Mém. H.N. Emp. Chinois, 2: 102. Apparently based on the Chinese forms of *Sus scrofa*.

Sus cristatus Wagner, 1839; as we have already pointed out (1951, 344) Chasen should have called this *Sus vittatus* (see Chasen, page 191) which has eleven years priority over *S. cristatus*. But we suggested (1951) that all these races can be regarded as races of

Sus scrofa Linnaeus, 1758
(1758. Syst. Nat. 10th ed. 1: 49, Germany).

CHASEN, PAGE 193

FAMILY TRAGULIDAE

Genus **TRAGULUS** Brisson, 1762

- 1762 *Tragulus* Brisson, Regn. Anim. 65. *Tragulus indicus* Brisson
(= *Cervus javanicus* Osbeck?)
1843. *Moschiola* Hodgson, Calcutta J.N.H. 4: 292. *Tragulus mimenoides*
Hodgson = *Tragulus meminna* Erxleben, from Ceylon. Valid as
a subgenus.

On the involved nomenclature of this genus see Ellerman & Morrison-Scott (1951, 3, 4 and 349, 350).

A. van Bemmelen, 1949, *Treubia*, 20, 2: 378 points out the necessity for "a rather disagreeable change of nomenclature" in the typical subgenus. For years the Larger Mouse-deer has been called *Tragulus javanicus* Osbeck, and the Lesser Mouse-deer *T. kanchil* Raffles. It was not until 1929 that Sody and Dammerman began to query the existence of the Larger Mouse-deer in Java.

Now van Bemmelen has investigated the problem thoroughly and finds that in no collection can a specimen of the Larger Mouse-deer be found which is reliably known to have come from Java, and, further, that the Larger Mouse-deer has never been observed in Java. Furthermore, a study of the description of *javanicus* together with Osbeck's earlier, pre-Linnean description, and his narrative, makes it clear that the animals which Osbeck bought alive from natives on the coast of Udjon Kulon Peninsula, western Java, were Lesser Mouse-deer, which is in fact the only form of Mouse-deer which does occur in Java.

A switch-round of names is therefore necessary, and the Lesser Mouse-deer must be called *Tragulus javanicus* Osbeck, 1765 (= *Moschus kanchil* Raffles, 1821), and for the Larger Mouse-deer there is *Tragulus napu* F. Cuvier, 1822 (= *Tragulus javanicus* auct. nec Osbeck).

Presumably the form from Java listed by Chasen (1940, 201) as *T. kanchil focalinus* is a synonym of *T. j. javanicus*, and presumably *kanchil* Raffles will stand as the Sumatran race of *T. javanicus*.

GENERIC SYNONYMY

CHASEN, PAGE 200

Tragulus "kanchil" subrufus dates from 1903.

CHASEN, PAGE 201

FAMILY C E R V I D A E

Genus **CERVUS** Linnaeus, 1758

1758. *Cervus* Linnaeus, Syst. Nat. 10th ed. 1: 66. *Cervus elaphus* Linnaeus, from Sweden.
1827. *Rusa* H. Smith, Griffith's Cuvier Anim. Kingd. 4: 105. *Cervus unicolor* Kerr. Valid as a subgenus.
1838. *Harana* Hodgson, Ann. N.H. 1: 154. *Cervus wallichii* G. Cuvier (from Nepal or Tibet), a race of *Cervus elaphus* Linnaeus.
1838. *Rucervus* Hodgson, Ann. N.H. 1: 154. *Cervus elaphoides* Hodgson = *Cervus duvaucelii* G. Cuvier, probably from northern India. Valid as a subgenus.
1843. *Panolia* Gray, List Mamm. B.M. 180. *Panolia acuticornis* Gray = *Cervus eldi* McClelland, from Manipur. Valid as a subgenus.
1870. *Sika* Sclater, P.Z.S. 115. *Cervus sika* Temminck = *Cervus nippon* Temminck, from Japan. Valid as a subgenus.
1872. *Pseudaxis* Gray, Cat. Ruminants B.M., 70. *Cervus taiouanus* Blyth, the Formosan race of *Cervus nippon* Temminck.
1888. *Sambur* Heude, Mém. H.N. Emp. Chin. 2: 8. *Cervus aristotelis* Cuvier = *Cervus niger* Blainville, the northern Indian race of *Cervus unicolor* Kerr.
1888. *Ussa* Heude, loc. cit. 20. *Cervus nigricans* Brooke, from the Philippine Islands, here selected.
1888. *Melanaxis* Heude, loc. cit. 47. *Cervus alfredi* Sclater, from the Philippine Islands.
1930. *Przewalskium* Flerov, C.R. Acad. Sci. U.R.S.S., 115. *Cervus albirostris* Przewalski, from western Kansu, China. Valid as a subgenus.
1943. *Thaocervus* Pocock, J. Bombay N.H. Soc. 43: 554, 559. *Rucervus schomburgki* Blyth, from Siam. Valid as a subgenus.

The reference to *Cervus unicolor* is 1792, Anim. Kingd., 300, Ceylon.

CHASEN, PAGE 202

Cervus kuhli Müller & Schlegel. Chasen stated that he was insufficiently acquainted with this small species to discuss its affinities. Although Lydekker (1915, 4: 61) listed this species (with a question mark) in *Rusa*, he stated that it differed from the other species in the subgenus *Rusa* by its longer antler-pedicles and larger auditory bullae, characters affiliating it to *Hyelaphus*, "with which it apparently agrees in the presence of a glandular cleft in the hind pasterns." The last

character seems to be the main distinguishing character between *Axis* (including *Hyelaphus*) and *Cervus* (including the other subgenera listed above). Simpson (1945) gave *Axis* (with *Hyelaphus*) generic rank, and in 1951 we followed his generic classification in the Cervidae. It seems that *C. kuhli* may be referable to *Hyelaphus*, so we include the reference to that subgenus.

Genus **AXIS** H. Smith, 1827. (Not in Chasen)

1827. *Axis* H. Smith, Griffith's Cuvier, Anim. Kingd. 5: 312. *Cervus axis* Erxleben, from the Ganges, India.
 1846. *Hyelaphus* Sundevall, K. Svenska Vetensk. Akad. Handl. 1844: 180. *Cervus porcinus* Zimmermann, from Bengal. Valid as a subgenus.

As noted above, it may be that *C. kuhli* will be referable to genus *Axis*, subgenus *Hyelaphus*.

Genus **MUNTIACUS** Rafinesque, 1815

1815. *Muntiacus* Rafinesque, Analyse de la Nature, 56. *Cervus muntjak* Zimmermann. *Nomen nudum* (1).
 1816. *Cervulus* Blainville, Bull. Soc. Philom. Paris, 74. *Cervus muntjak* Zimmermann.
 1923. *Procops* Pocock, P.Z.S. 207. *Cervulus feae* Thomas & Doria, from Tenasserim.

CHASEN, PAGE 204

FAMILY BOVIDAE

Genus **BOS** Linnaeus, 1758

1758. *Bos* Linnaeus, Syst. Nat. 10th ed. 1: 71. *Bos taurus* Linnaeus (domestic cattle).
 1837. *Bibos* Hodgson, J. Asiat. Soc. Bengal, 6: 499. *Bibos subhemachalus* Hodgson = *Bos gaurus* H. Smith. Valid as a subgenus.
 1843. *Poëphagus* Gray, List Mamm. B.M., 153. *Bos grunniens* Linnaeus, from Asia (the Yak). Valid as a subgenus.
 1847. *Gaveus* Hodgson, J. Asiat. Soc. Bengal, 16: 705. *Bos frontalis* Lambert (the domestic Gayal).
 1901. *Gauribos* Heude, Mém. H.N. Emp. Chin. 5, 1: 3. *Gauribos laosiensis* Heude.

¹ Rafinesque, 1815, *Analyse de la Nature*. This book contains many *nomina nuda*, some of which are currently used. We consider that one of these names, *Muntiacus*, should be placed on the *Official List*. The Muntjak was known many years ago as *Cervulus* Blainville, 1816, but *Muntiacus* is now in current use and although it cannot really be pleaded that confusion would result, it would not be a helpful step to revert now to *Cervulus*. We have submitted this case to the Commission. (Ellerman & Morrison-Scott, 1951, 4).

GENERIC SYNONYMY

Bos [contd.]

1901. *Uribos* Heude, *loc. cit.*: 5. *Uribos platyceros* Heude.

1901. *Bubalibos* Heude, *loc. cit.*: 6. *Bubalibos annamiticus* Heude.

1940. *Novibos* Coolidge, Mem. Mus. Comp. Zool. Harvard, 54: 425,
Bos (Bibos) sauveli Urbain.

The species *Bos gaurus* and *B. sondaicus* (listed by Chasen) belong to the subgenus *Bibos*, but *sondaicus* should have been called

Bos banteng Wagner, 1844 (in Schreber, Säugth. Suppl. 4: 517, Java).

Chasen refers all Oxen to one genus *Bos*, and there is much to be said in favour of this classification, but for those who wish to regard Buffaloes as a distinct genus, *Bubalus* is available for *B. bubalis*, listed by Chasen in *Bos*, page 206.

Genus **BUBALUS** H. Smith, 1827. (Not recognized by Chasen.)

1827. *Bubalus* H. Smith, Griffith's Cuvier Anim. Kingd. 5: 371. *Bos bubalus* Gmelin = *Bos bubalis* Linnaeus.

CHASEN, PAGE 206

Genus **CAPRICORNIS** Ogilby, 1837

1837. *Capricornis* Ogilby, P.Z.S. 1836: 139. *Antilope thar* Hodgson, the Nepal race of *Antilope sumatraensis* Bechstein.

1898. *Capricornulus* Heude, Mém. Mus. H.N. Emp. Chin. 4: 13. *Antilope crispa* Temminck, from Japan. Valid as a subgenus.

1898. *Nemotragus* Heude, *loc. cit.* *Capricornis erythropygius* Heude = *Capricornis (Antilope) milneedwardsi* David, the Szechuan race of *Antilope sumatraensis* Bechstein.

1898. *Lithotragus* Heude, *loc. cit.* *Capricornis maritimus* Heude, the Tonkin race of *Antilope sumatraensis* Bechstein.

1898. *Austritragus* Heude, *loc. cit.*: 14. *Antilope sumatraensis* Bechstein.

CHASEN, PAGE 207

(ORDER PERISODACTYLA)

FAMILY RHINOCEROTIDAE

Genus **RHINOCEROS** Linnaeus, 1758

1758. *Rhinoceros* Linnaeus, Syst. Nat. 10th ed. 1: 56. *Rhinoceros unicornis* Linnaeus, from India.

Chasen preferred to regard both his species of *Rhinoceros* as congeneric, but many authors prefer to separate *R. sumatrensis* generically, in which case the prior name is *Didermocerus*.

CHASEN'S MALAYSIAN MAMMALS

- Genus **DIDERMOCERUS** Brookes, 1828. (Not recognized by Chasen)
1828. *Didermocerus* Brookes, Cat. Anat. Zool. Museum of J. Brookes, London, 75. *Didermocerus sumatrensis* = *Rhinoceros sumatrensis* Fischer.
1841. *Dicerorhinus* Gloger, Handbuch Naturgesch, 125. *Rhinoceros sumatrensis* Cuvier (= *Rhinoceros sumatrensis* Fischer).

FAMILY T A P I R I D A E

Genus **TAPIRUS** Brisson, 1762

1762. *Tapirus* Brisson, Regn. Anim. 81-82. *Tapirus terrestris* Brisson = *Hippopotamus terrestris* Linnaeus, from Brazil.
1771. *Tapirus* Brännich, Zool. Fundamenta, 44, 45. *Hippopotamus terrestris* Linnaeus.
1913. *Acrocodia* Goldman, Proc. Biol. Soc. Washington, 26: 65. *Tapirus indicus* Desmarest. Valid as a subgenus.

The reference for *Tapirus indicus* is Desmarest 1819, Nouv. Dict. H.N. 32: 458, Malay Peninsula, which antedates the one given in Chasen.

BIBLIOGRAPHY

- ANDERSEN, K. 1912. *Catalogue of the Chiroptera in the collection of the British Museum, 1, Megachiroptera* (all published). London: British Museum (Natural History).
- CHASEN, F. N. 1940. A handlist of Malaysian mammals. *Bull. Raffles Mus.* No. 15.
- CONISBEE, L. R. 1953. *A list of the names proposed for genera and subgenera of recent mammals, from the publication of T. S. Palmer's 'Index generum mammalium', 1904 to the end of 1951*. London: British Museum (Natural History).
- ELLERMAN, J. R. 1940-41-49. *Families and Genera of living rodents* (3 vols.). London: British Museum (Natural History).
- ELLERMAN, J. R., & MORRISON-SCOTT, T. C. S. 1951. *Checklist of Palaearctic and Indian Mammals, 1758-1946*. London: British Museum (Natural History).
- ELLERMAN, J. R., MORRISON-SCOTT, T. C. S., & HAYMAN, R. W. *Southern African Mammals, 1758-1951: a reclassification*. London: British Museum (Natural History).
- LAURIE, E. M. O., & HILL, J. E. 1954. *List of land mammals of New Guinea, Celebes and adjacent islands, 1758-1952*. London: British Museum (Natural History).
- LYDEKKER, R. 1915 (1913-16). *Catalogue of the ungulate mammals in the British Museum (Natural History)* (5 vols.). London: British Museum (Natural History).
- MILLER, G. S. 1907. The families and genera of bats. *Bull. U.S. Nat. Mus.* No. 57.
- OSMAN HILL, W. C. 1953. *Note on the taxonomy of the genus Tarsius*. P.Z.S. 123: 13-16.
- POCOCK, R. I. 1939, 1941. *The fauna of British India, including Ceylon and Burma. Mammalia* (2 vols. Primates and Carnivora only). London: Taylor & Francis.
- SIMPSON, G. G. 1945. The principles of classification and a classification of mammals. *Bull. Amer. Mus. N.H.* 85.
- TATE, G. H. H. 1936. Some Muridae of the Indo-Australasian Region. *Bull. Amer. Mus. N.H.* 72: 501.
- 1941 (a). Remarks on some Old World Long-nosed Bats. *Amer. Mus. Novit.* No. 1140.
- 1941 (b). A review of the genus *Hipposideros* with special reference to Indo-Australian species. *Bull. Amer. Mus. N.H.* 78: 353.
- 1941 (c). Review of *Myotis* of Eurasia. *Bull. Amer. Mus. N.H.* 78: 537.
- 1941 (d). Notes on Vespertilionid bats. *Bull. Amer. Mus. N.H.* 78: 567.
- 1942 (a). Review of Vespertilionine bats, with special attention to genera and species of the Archbold collections. *Bull. Amer. Mus. N.H.* 80: 221.
- 1942 (b). Pteropodidae (Chiroptera) of the Archbold Collections. *Bull. Amer. Mus. N.H.* 80: 331.

INDEX TO THE GENERIC NAMES IN THE PRESENT WORK

- Acanthion, 40
 Acrocodia, 46
 Aeromys, 32
 Aethalodes, 7
 Aethalops, 5, 7
 Allolagus, 30
 Ambliodon, 24
 Amblonyx, 22
 Amblyotus, 13
 Anurocyon, 22
 Aonyx, 22
 Apomys, 35
 Aquias, 9
 Arctictis, 24
 Arctogalidia, 24
 Arctonyx, 21
 Arcuomys, 35
 Asellia, 10
 Aselliscus, 10
 Asioscalops, 4
 Atherurus, 40
 Aulacochoerus, 41
 Austritragus, 45
 Axis, 44

 Badiofelis, 26
 Baginia, 32
 Balaenoptera, 27
 Balionycteris, 7
 Bandicota, 39
 Barangia, 22
 Berylmys, 36
 Bibos, 44
 Bondar, 23
 Bos, 44
 Brachitanytes, 17
 Bubalibos, 45
 Bubalus, 45
 Bullimus, 35
 Bunomys, 35

 Calictis, 25
 Callinycteris, 7
 Callosciurus, 32
 Calogale, 25
 Capaccinius, 11
 Capricornis, 45
 Capricornulus, 45
 Caracal, 25
 Catopuma, 25
 Cervulus, 44
 Cervus, 43
 Chacrephon, 16
 Charronia, 20
 Chaus, 25
 Cheiromeles, 16
 Chilophylla, 10, 11
 Chimmarogale, 5
 Chionobates, 30
 Chiromeles, 16
 Chironax, 7

 Chiropodomys, 38
 Chiropetes, 16
 Christomys, 35
 Chrysaecus, 22
 Chrysonycteris, 10
 Chrysopteron, 11
 Cironomys, 35
 Cnephaeus, 13
 Coelomys, 38
 Coelophyllus, 9
 Coelops, 10
 Corypithecus, 18
 Cremnomys, 35
 Crocidura, 4
 Crossogale, 5
 Cuon, 22
 Cyclorhina, 10
 Cynamolgus, 17
 Cynocephalus, 5
 Cynogale, 24
 Cynopterus, 6

 Dasychocerus, 41
 Delphinus, 28
 Dendrogale, 3
 Desmalopex, 6
 Dicerorhinus, 46
 Dichromyotis, 11
 Didermocerus, 45, 46
 Diplogale, 24
 Diplothrix, 35
 Dobsonia, 8
 Dremomys, 33
 Dugong, 41
 Dyacopterus, 7

 Echinorex, 3
 Elephas, 41
 Eleutherura, 6
 Emballonura, 8
 Eoglaucumys, 31
 Eonycteris, 7
 Eoscalops, 4
 Eosciurus, 32
 Epimys, 34
 Eptesicus, 13
 Eremaelurus, 26
 Erythrosciurus, 32
 Euhys, 41
 Eulagos, 30
 Eumustela, 21
 Eunycteris, 6
 Euroscaptor, 4
 Euryalus, 9
 Euvespertilio, 11
 Euvesperugo, 12
 Enochurus, 11

 Felis, 25
 Frateromys, 35

INDEX TO THE GENERIC NAMES

Gale, 20
 Galelemur, 30
 Galeopithecus, 5
 Galcopterus, 5
 Gauribos, 44
 Gavacus, 44
 Geromys, 35
 Glipora, 3
 Glischropus, 13
 Globicephala, 28
 Gloionycteris, 9
 Glyphotes, 34
 Grypomys, 35
 Gumomys, 39, 40
 Guyia, 35
 Gymmura, 3

Haeromys, 38
 Halicore, 41
 Hapalomys, 39
 Harana, 43
 Harpiocephalus, 14
 Harpiola, 14
 Helarctos, 20
 Helictis, 21
 Hemigale, 24
 Hemigalea, 24
 Hemigalus, 24
 Herpestes, 24
 Hesperoptenus, 13
 Heterosciurus, 32
 Hipposideros, 9
 Hyelaphus, 43, 44
 Hylobates, 17
 Hylomys, 3
 Hylopetes, 31
 Hypoderma, 8
 Hypsugo, 12
 Hystrix, 40

Ia, 12
 Ictailurus, 26
 Ictides, 24
 Insulaemus, 38
 Iomys, 30
 Isotus, 11

Kasi, 18
 Kerivoula, 14
 Kiidotus, 7
 Kolonokus 21

Lamictis, 24
 Lamprogale, 20
 Laria, 33
 Lariscus, 33
 Leggada, 38
 Leggadilla, 38
 Lenothrix, 35, 36
 Leo, 26
 Leopoldamys, 35, 37
 Lepus, 30
 Leuconoe, 11

Limnomys, 35
 Linsang, 23
 Liponycteris, 8
 Lithotragus, 45
 Lophopithecus, 18
 Lutra, 22
 Lutreola, 20
 Lutrogale, 22
 Lutronectes, 22
 Lynx, 25
 Lyonogale, 3
 Lyroderma, 9
 Lyssodes, 17

Macaca, 17
 Macroodus, 23
 Macroglossus, 7
 Madromys, 35
 Magus, 17
 Mangusta, 24
 Manis, 29
 Martes, 20
 Maxomys, 35, 36
 Megaderma, 9
 Megaerops, 6
 Megapipistrellus, 12
 Megera, 6
 Melanaxia, 43
 Melogale, 21
 Menetes, 33
 Meomeris, 27, 28
 Micraonyx, 22
 Millardia, 35
 Millardomys, 35
 Mniopterus, 15
 Mogera, 4
 Mollicomys, 35
 Mops, 15, 16
 Mormopterus, 16
 Moschiola, 42
 Moschothera, 23
 Muntiacus, 44
 Murina, 14
 Mus, 38
 Mustela, 20
 Mycteromys, 38, 39
 Mydaus, 21
 Myotis, 11

Nannosciurus, 34
 Nannugo, 12
 Nasalis, 19
 Nemotragus, 45
 Neofelis, 25, 26
 Neomeris, 27, 28
 Neophocaena, 28
 Nesictis, 21
 Nesolagus, 30
 Niadius, 6
 Noctulinia, 13
 Nomascus, 17
 Novibos, 45
 Nyctalus, 13
 Nycteris, 9
 Nycticebus, 20

IN THE PRESENT WORK

- Nyctinomus, 15
 Nyctocleptes, 34

 Octomys, 35
 Odontonycteris, 7
 Olisthomys, 31
 Onychogale, 25
 Orcaella, 27
 Orcinus, 27
 Oromys, 38
 Otolobus, 25
 Otomops, 16

 Pachyomus, 14
 Pachyotus, 14
 Pachyura, 4
 Paguma, 24
 Pangolinus, 29
 Panolia, 43
 Panthera, 25, 26
 Panugo, 13
 Paradoxodon, 4
 Paradoxurus, 23
 Paralariscus, 33
 Paramanis, 29
 Paramyotis, 11
 Parascaptor, 4
 Parascotomanes, 14
 Pardictis, 23
 Pardina, 25
 Pardofelis, 25
 Pardus, 26
 Pareptesicus, 14
 Paruromys, 36
 Paurodus, 4
 Penthetor, 7
 Petalia, 9
 Petaurillus, 31
 Petaurista, 30
 Petinomys, 31
 Phatages, 29
 Philippinopterus, 16
 Phoniscus, 14
 Phyllorhina, 9
 Physeter, 27
 Pipistrellus, 12
 Pithecheir, 39
 Pithecius, 17, 18
 Plesiogale, 21
 Pocockictis, 21
 Poephagus, 44
 Poliailurus, 26
 Pongo, 16, 17
 Porcula, 41
 Potamophilus, 24
 Presbypithecus, 18
 Presbytis, 18
 Presbytiscus, 19
 Prionailurus, 25
 Prionodon, 23
 Procops, 44
 Prodelphinus, 28
 Profelis, 25
 Przewalskium, 43
 Pselaphon, 6

 Pseudaxis, 43
 Pternopterus, 11
 Pterobalaena, 27
 Pteromyscus, 31
 Pteropus, 6
 Pterygistes, 13
 Ptilocercus, 3
 Ptilocercus, 3
 Ptychorhina, 10
 Pullomys, 35
 Putorius, 20

 Rattus, 34, 36
 Ratufa, 32
 Rheithrosciurus, 34
 Rhesus, 17
 Rhinoceros, 45
 Rhinolophus, 9
 Rhinopithecus, 19
 Rhinopoma, 8
 Rhinosciurus, 33
 Rhizomys, 34
 Rhyneptesicus, 14
 Rickettia, 11
 Romicia, 12
 Rousettus, 6
 Rubrisciurus, 33
 Rucervus, 43
 Rudolphius, 27
 Rukaia, 32
 Rusa, 43

 Saccolaimus, 8
 Sambur, 43
 Scaptochirus, 4
 Sciurus, 32
 Scotophilus, 14
 Scotozous, 12
 Selysius, 11
 Semnopithecus, 18
 Senonycteris, 6
 Sibbaldus, 27
 Sika, 43
 Silenus, 17
 Simia, 16, 17
 Simias, 19
 Sinisus, 41
 Sorexglis, 3
 Sotalia, 29
 Sousa, 29
 Speorifera, 9
 Stenella, 28
 Steno, 28
 Stenomys, 35, 36
 Suillotaxus, 21
 Suncus, 4
 Sus, 41
 Symphalangus, 17

 Tadarida, 15
 Taeniogale, 25
 Taeromys, 35
 Talpa, 4
 Tamiops, 32, 34

INDEX TO THE GENERIC NAMES IN THE PRESENT WORK

Tana, 3
 Taphozous, 3
 Tapirus, 46
 Tarimolagus, 30
 Tarsius, 19
 Tarsomys, 35
 Tautatus, 38
 Thaocervus, 43
 Thecurus, 40
 Thyreorhina, 10
 Tigris, 26
 Tomcutes, 33
 Trachypithecus, 18
 Tragulus, 42
 Trichaelurus, 26
 Trichomanis, 21
 Trichys, 40
 Trilatitus, 11
 Tupaia, 3
 Tursiops, 29
 Tylonycteris, 13

Uncia, 26
 Uribos, 45
 Urva, 25
 Ussa, 43

Vansonina, 12
 Viverra, 23
 Viverricula, 23

Xantharpyia, 6

Zati, 17
 Zetis, 33
 Zibellina, 20
 Zibethailurus, 25
 Ziphius, 27

COMPLETE INDEX TO CHASEN, 1940

A handlist of MALAYSIAN MAMMALS

- aagaardi, *Crocidura*, 16
abbotti, *Galeopterus*, 21
abbotti, *Hylobates*, 64
abbotti, *Myotis*, 49
abbotti, *Sciurus*, 137
abditum, *Megaderma*, 34
abelii, *Simia*, 61, 62
adjectus, *Tragulus*, 195
abongensis, *Simia*, 62
abruptus, *Tragulus*, 195
acuminatus, *Rhinolophus*, 38
adamsi, *Sciurus*, 140
adangensis, *Sciurus*, 127
adustus *Chaerephon*, 59
adversus, *Myotis*, 48
aequalis, *Aethalops*, 27
aequicauda, *Crocidura*, 15
Aeromys, 120
Aethalops, 27
affinis, *Ratufa*, 122
affinis, *Rhinolophus*, 37
affinis, *Saccolaimus*, 32
agilis, *Hylobates*, 63
agnatus *Macaca*, 66
agrias *Simia*, 61
alacer, *Macaca*, 66
alacris *Sciurus*, 143
alangensis, *Rattus*, 153
albus, *Echinosorex*, 12
albescens, *Sciurus*, 140
albibarbis, *Hylobates*, 64
albiceps, *Ratufa*, 120
albimanus, *Hylobates*, 64
albipinnis, *Taphozous*, 32
albocinereus, *Pithecius*, 71
albo-griseus, *Hylobates*, 63
albonigrescens, *Hylobates*, 63
alecto *Aethalops*, 27
alecto, *Pteropus*, 25
alexandrinus *Rattus*, 151
alticola *Rattus*, 179
altitudinis *Sciurus*, 142
amoenus, *Hylopetes*, 118
amoenus, *Tragulus*, 194
amotus, *Menetes*, 145
amplexicaudatus, *Rousettus*, 22
anambae, *Rattus*, 172
anambae, *Ratufa*, 122
anambae *Tupaia*, 4
anambensis, *Emballonura*, 31
anambensis *Sciurus*, 136
anambensis, *Tragulus*, 196
andamanensis, *Macaca*, 65
andersoni, *Sus*, 191
andrewsi, *Sciurus*, 132
angulatus, *Cynopterus*, 26
angustiae, *Tragulus*, 197
angusticeps, *Ratufa*, 122
anna *Chiropodomys*, 184
annae, *Tragulus*, 193
annandalei, *Rattus*, 160
annectens, *Paguma*, 98
annectens, *Pipistrellus*, 50
annectens, *Pteropus*, 23
antucus, *Rattus*, 173
aoris, *Crocidura*, 17
aoris, *Galeopterus*, 21
aoris, *Rattus*, 172
aoris, *Sciurus*, 134
Arctictis, 99
Arctogalidia, 100
Arctonyx, 91
arcuatus, *Rhinolophus*, 41
arendsis, *Sciurus*, 133
argentatus, *Pithecius*, 81
argentimembris, *Macaca*, 69
argentiventer, *Rattus*, 152
armalis, *Sciurus*, 130
armiger, *Hipposideros*, 42
arusinus, *Ratufa*, 122
arwasca, *Pithecius*, 77
Asellia, 47
asper, *Rattus*, 181
aspera, *Manis*, 111
atchinensis *Viverricula*, 95
ater, *Arctictis*, 99
aterrimus, *Pteropus*, 25
Atherurus, 188
atratus, *Sciurus*, 140
atricapillus, *Sciurus*, 130
atristriatus, *Sciurus*, 139
atromaculata, *Felis*, 105
atrox, *Hipposideros*, 45
atrox, *Phoniscus*, 57
atrox, *Sciurus*, 131
audax, *Rhinolophus*, 38
aurantiacus, *Hylopetes*, 117
aurata, *Paguma*, 98
aurata, *Pithecius*, 73, 81
aureus, *Macaca*, 66
auriventer, *Ratufa*, 122
auro-punctatus, *Herpestes*, 104
australis, *Pithecius*, 74
aygula, *Pithecius*, 77

babi, *Cynopterus*, 26
babi *Rattus*, 158
babi, *Sus*, 192
badging, *Sciurus*, 132
badia, *Felis*, 106
baeodon, *Rattus*, 179
balaе, *Rattus*, 167
balaе, *Ratufa*, 123
balaе, *Sciurus*, 144
Balaenoptera, 108
bali, *Rattus*, 152
balica, *Felis*, 105
balicus, *Paradoxurus*, 98
baliensis, *Ratufa*, 120
baliensis, *Viverricula*, 95
balina, *Tupaia*, 5
Balionycteris, 27
balmasus, *Rattus*, 161

INDEX TO CHASEN (1940)

- balstoni, *Murina*, 55
 balstoni, *Sciurus*, 132
 baluensis, *Crocidura*, 14
 baluensis, *Dendrogale*, 10
 baluensis, *Rattus*, 158
 baluensis *Sciurus*, 131
 baluensis, *Tupaia*, 4
 banacus, *Rattus*, 173
 bancana, *Arctogalidia*, 101
 bancana, *Ratufa*, 124
 bancanus, *Muntiacus*, 203
 bancanus, *Nannosciurus*, 149
 bancanus, *Nycticebus*, 89
 bancanus, *Pipistrellus*, 51
 bancanus, *Tarsius*, 86
 bancanus, *Tragulus*, 194
 bancarus, *Sciurus*, 143
 bandahara, *Rattus*, 174
 Bandicota, 186
 banguei, *Rattus*, 152
 banguei, *Ratufa*, 124
 banguei, *Tragulus*, 195
 banguei, *Tupaia*, 7
 bangueyae, *Sciurus*, 143
 bangkanus, *Sciurus*, 129
 banksi, *Petaurista*, 114
 banksi, *Sciurus*, 130
 banteng, *Bos*, 205
 baramensis, *Ratufa*, 125
 baramensis, *Sciurus*, 131
 barang, *Lutra*, 92
 barbatus, *Cynogale*, 102
 barbatus, *Sus*, 192
 barbensis, *Hipposideros*, 46
 baritensis, *Paradoxurus*, 98
 bartelsi, *Aeromys*, 120
 bartelsii, *Crocidura*, 15
 bartelsii, *Myotis*, 49
 bartelsi, *Petinomys*, 119
 bartelsii, *Rattus*, 179
 barussanus, *Rattus*, 175
 batamana, *Tupaia*, 3
 batamanus, *Ratufa*, 181
 batanguensis, *Simia*, 62
 batin, *Rattus*, 157
 batuana, *Ratufa*, 121
 batuanus, *Petaurista*, 113
 batuanus, *Pithecus*, 76
 batuanus, *Tragulus*, 194
 baturus, *Rattus*, 178
 batus, *Rattus*, 181
 batus, *Sciurus*, 143
 baveanus, *Pteropus*, 25
 baweana, *Macaca*, 70
 beccarii, *Crocidura*, 17
 beccarii, *Rhinolophus*, 41
 befieldi, *Dremomys*, 147
 belone, *Hylapetes*, 118
 bengalensis, *Felis*, 107
 bengalensis, *Gunomys*, 186
 bennettii, *Cynogale*, 102
 berdmorei *Menetes*, 145
 bernsteinii, *Coelops*, 47
 besara, *Tupaia*, 6
 besuki, *Rattus*, 178
 besuki, *Sciurus*, 138
 bicolor, *Arctogalidia*, 100
 bicolor, *Hipposideros*, 44
 bicolor, *Kerivoula*, 57
 bicolor, *Ratufa*, 120
 bicolor, *Simia*, 62
 bicolor, *Tapirus*, 207
 bilimitatus, *Sciurus*, 138
 bilineatus, *Sciurus*, 132
 billitonus, *Sciurus*, 136
 billitonus, *Tragulus*, 195
 bintangensis, *Macaca*, 66
 binominatus, *Rattus*, 172
 binturong, *Arctictis*, 99
 birmanicus, *Bos*, 206
 birmanicus, *Echinosorex*, 12
 bivittatus, *Sciurus*, 134
 blanfordi, *Hesperoptenus*, 52
 blepotis, *Miniopterus*, 58
 blythi, *Rattus*, 178
 blythi, *Rhinoceros*, 207
 bocki, *Sciurus*, 139
 bogoriensis, *Tupaia*, 5
 boiei, *Hemigalus*, 101
 bombifrons, *Kerivoula*, 57
 booduga, *Mus*, 184
 borealis, *Balaenoptera*, 108
 borneanus, *Galeopterus*, 21
 borneanus, *Nannosciurus*, 149
 borneanus, *Nycticebus*, 89
 borneanus, *Pteromyscus*, 116
 borneanus, *Rattus*, 163
 borneanus, *Tarsius*, 86
 borneanus, *Tragulus*, 195
 borneensis, *Rhinolophus*, 37
 borneensis, *Sciurus*, 141
 borneensis, *Sotalia*, 110
 borneensis, *Sus*, 192
 borneoensis, *Felis*, 108
 borneoensis, *Petinomys*, 120
 borneoensis, *Sciurus*, 129
 borneotica, *Echinosorex*, 11
Bos, 204
 bowersii, *Rattus*, 182
 brachyotis, *Cynopterus*, 25
 brachypterus, *Pipistrellus*, 50
 brachyura, *Hystrix*, 187
 brachyurus, *Herpestes*, 102
 brachyurus, *Macaca*, 65
 brachyurus, *Sus*, 193
 brevicauda, *Crocidura*, 15
 brevicaudatum, *Cynopterus*, 25
 brevicaudatus, *Rattus*, 152
 brevipes, *Tragulus*, 200
 brevirostris, *Orcaella*, 109
 brevispinosa, *Hystrix*, 188
 broca, *Macaca*, 65
 brookei, *Cervus*, 202
 brookei, *Sciurus*, 143
 brookei, *Simia*, 60
 brooksi, *Dyacopterus*, 27
 brunnea, *Crocidura*, 15
 brunnea, *Lutra*, 92
 brunneipes, *Paradoxurus*, 96
 bubalis, *Bos*, 206
 bukit, *Rattus*, 178
 buku *Nycticebus*, 88
 bulana, *Ratufa*, 124
 bullatus, *Rattus*, 161

MALAYSIAN MAMMALS

bunguranensis, *Rattus*, 167
 bunguranensis, *Ratufa*, 124
 bunguranensis, *Tragulus*, 197
 bunoae, *Tupaia*, 7
 butangensis, *Rattus*, 171
 butleri, *Bos*, 205

caedis, *Sciurus*, 131
 caedis, *Tupaia*, 5
 calypso, *Rhinolophus*, 39
 cameroni, *Rattus*, 176
 campus, *Rattus*, 161
 candidus, *Echinosorex*, 12
 canescens, *Murina*, 55
 canescens, *Paradoxurus*, 97
 canescens, *Tragulus*, 194
 caniceps, *Sciurus*, 125
 canicrus, *Pithecus*, 78
 caninus, *Pteropus*, 24
 cantori, *Paradoxurus*, 97
 canus, *Paradoxurus*, 97
 canus, *Pithecus*, 74
 canus, *Pteropus*, 23
 canus, *Rattus*, 183
 canuti, *Rhinolophus*, 42
 capistratus, *Nasalis*, 83
 capitalis, *Macaca*, 69
 Capricornis, 206
 carbo, *Pithecus*, 80
 carbonarius, *Macaca*, 66
 carcharias, *Cynogale*, 102
 carinatae, *Macaca*, 66
 carinatae, *Megaderma*, 34
 carinatae, *Myotis*, 48
 carinatae, *Pithecus*, 81
 carinatae, *Rattus*, 174
 carinatae, *Sciurus*, 130
 carinatae, *Tragulus*, 201
 carinatae, *Tupaia*, 4
 carimonensis, *Ratufa*, 123
 carimonensis, *Sciurus*, 129
 caroli, *Hylopetes*, 116
 caroli, *Sciurus*, 130
 carpolegus, *Macaca*, 65
 casensis, *Rattus*, 169
 castanea, *Tupaia*, 3
 castaneus, *Lariscus*, 146
 castaneus, *Scotophilus*, 55
 catalania, *Tursiops*, 110
 catellifer, *Rattus*, 173
 catemana, *Ratufa*, 122
 catemanus, *Pithecus*, 75
 catodon, *Physeter*, 109
 catus, *Felis*, 104
 caudatus, *Cheiromeles*, 60
 cavirostris, *Ziphius*, 109
 cavaticus, *Taphozous*, 33
 celaeno, *Pteropus*, 24
 celebensis, *Sus*, 190
 cervicalis, *Tupaia*, 7
 Cervus, 201
 ceylonica, *Pithecus*, 81
 Chaerephon, 58
 Cheiromeles, 60
 cheiropus, *Cheiromeles*, 60
 Chilophylla, 48

Chimarrogale, 19
 Chironax, 28
 Chiropodomys, 184
 chombolis, *Galeopterus*, 21
 chombolis, *Rattus*, 162
 chrysogaster, *Pithecus*, 78
 chrysogaster, *Tupaia*, 3
 chrysomalla, *Tupaia*, 3
 chrysomelas, *Pithecus*, 77
 chrysura, *Tupaia*, 6
 cicur, *Petaurista*, 112
 ciliatus, *Rattus*, 182
 cineraceus, *Hipposideros*, 44
 cinerea, *Lutra*, 93
 cinerea, *Pithecus*, 71
 cinereus, *Hylobates*, 64
 cinereus, *Nycticebus*, 88
 cinereus, *Rhizomys*, 150
 cinnamomeus, *Rattus*, 178
 circe, *Rhinolophus*, 39
 circumdatus, *Pipistrellus*, 50
 clabatus, *Rattus*, 159
 cochinchensis, *Paradoxurus*, 96
 coelophyllus, *Rhinolophus*, 42
 Coelops, 47
 cognata, *Tupaia*, 2
 collaris, *Arctonyx*, 91
 collinus, *Scotophilus*, 54
 comatus, *Pithecus*, 77
 concolor, *Rattus*, 159
 concolor, *Simias*, 85
 concolor, *Sciurus*, 126
 condurensis, *Ratufa*, 123
 condurensis, *Sciurus*, 129
 confinis, *Ratufa*, 123
 confucianus, *Rattus*, 177
 conipus, *Sciurus*, 137
 conspicua, *Ratufa*, 123
 continentis, *Hylobates*, 63
 continentis, *Ptilocercus*, 11
 corvus, *Pithecus*, 80
 cothurnata, *Ratufa*, 125
 coucang, *Nycticebus*, 88
 coxi, *Hipposideros*, 46
 crassispinis, *Hystrix*, 188
 crassus, *Rattus*, 163
 crassus, *Saccolaimus*, 32
 creaghi, *Rhinolophus*, 41
 credulus, *Rattus*, 162
 cremoriventer, *Rattus*, 175
 cretaceiventer, *Rattus*, 176
 cristatus, *Pithecus*, 83
 cristatus, *Sus*, 190
 Crocidura, 14
 crociduroides, *Mycteromys*, 185
 cruciger, *Pithecus*, 77
 cuneatus, *Rhinolophus*, 38
 Cuon, 93
 cupida, *Macaca*, 70
 curtatus, *Pipistrellus*, 50
 curtus, *Simia*, 62
 Cynogale, 102
 Cynopterus, 25

dadappensis, *Simia*, 62
 datus, *Sciurus*, 138

INDEX TO CHASEN (1940)

davisoni, *Iomys*, 114
 davisoni, *Sciurus*, 125
 debilis, *Hipposideros*, 42
 decumanus, *Rattus*, 182
 deformis, *Hipposideros*, 45
 dekan, *Rhizomys*, 150
 deliensis, *Felis*, 104
 deliensis, *Simia*, 62
 Delphinus, 110
 delphis, *Delphinus*, 110
 demissa, *Tupaia*, 2
 demissus, *Eptesicus*, 54
 Dendrogale, 10
 dentatus, *Rattus*, 153
 depressa, *Arctogalidia*, 100
 derbyanus, *Hemigalus*, 101
 derbyi, *Hemigalus*, 101
 diadema, *Hipposideros*, 42
 diardi, *Cynopterus*, 25
 diardi, *Felis*, 106
 diardii, *Rattus*, 152
 diardii, *Sciurus*, 138
 dicolorata, *Ratufa*, 121
 dictator, *Arctonyx*, 91
 dictatorius, *Rattus*, 165
 dilatatus, *Chaerephon*, 59
 dilecta, *Pithecus*, 74
 dilutus, *Sciurus*, 137
 director, *Sciurus*, 137
 discolor, *Tupaia*, 3
 diversus, *Lariscus*, 146
 dohrni, *Rhinolophus*, 41
 dollmani, *Macaca*, 66
 domitor, *Rattus*, 161
 doriae, *Crocidura*, 15
 doriae, *Hesperoptenus*, 52
 doriae, *Hipposideros*, 45
 doriae, *Mormopterus*, 59
 dorsalis, *Hylomys*, 12
 dorsalis, *Tupaia*, 6
 Dremomys, 147
 dschinschicus, *Sciurus*, 132
 dubius, *Paradoxurus*, 98
 ducis, *Rattus*, 158
 dugon, *Dugong*, 189
 Dugong, 189
 dulitensis, *Ratufa*, 125
 dulitensis, *Sciurus*, 137
 duvauceli, *Cynopterus*, 25
 Dyacopterus, 27
 dyacorum, *Herpestes*, 103
 dyacorum, *Hipposideros*, 43

ecaudatus, *Megaerops*, 27
 Echino-Sorex, 11
 edarata, *Tupaia*, 6
 edax, *Rhinolophus*, 40
 edmondi, *Sus*, 193
 edwardsi, *Rattus*, 182
 edwardsii, *Herpestes*, 103
 elegans, *Petaurista*, 114
 Elephas, 190
 emarginatus, *Myotis*, 49
 Emballonura, 31
 emiliae, *Petaurillus*, 116
 engana, *Kerivoula*, 56

enganus, *Hipposideros*, 42
 enganus, *Paradoxurus*, 97
 enganus, *Pteropus*, 23
 enganus, *Rattus*, 164
 enganus, *Sus*, 192
 entelloides, *Hylobates*, 64
 Eonycteris, 28
 ephippium, *Rattus*, 160
 ephippium, *Ratufa*, 125
 epomophorus, *Sciurus*, 126
 Eptesicus, 53
 equile, *Rattus*, 160
 equinus, *Cervus*, 201
 eribus, *Sciurus*, 128
 erubescens, *Sciurus*, 126
 erythraeus, *Sciurus*, 127
 euryspilus, *Helarctos*, 89
 everetti, *Dremomys*, 147
 everetti, *Helictis*, 91
 everetti, *Hylopetes*, 117
 everetti, *Pithecus*, 78
 everetti, *Tragulus*, 201
 exilis, *Nannosciurus*, 150

fallax, *Sciurus*, 127
 famulus, *Sciurus*, 134
 fascicularis, *Macaca*, 66
 fasciculata, *Atherurus*, 188
 federatus, *Myotis*, 49
 Felis, 104
 femoralis, *Pithecus*, 70
 femoralis, *Ratufa*, 123
 ferreocanus, *Rattus*, 183
 ferruginea, *Tupaia*, 1
 ferrugineus, *Pithecus*, 76
 firmus, *Rattus*, 162
 flavicauda, *Pithecus*, 79
 flavicollis, *Tragulus*, 195
 flavidulus, *Rattus*, 171
 flavigrandis, *Rattus*, 172
 flavigula, *Martes*, 90
 flavimaculatus, *Saccolaimus*, 32
 flavimanus, *Pithecus*, 76
 flaviventer, *Rattus*, 175
 flemingii, *Hystrix*, 187
 fluviatilis, *Pithecus*, 76
 focalinus, *Tragulus*, 201
 foederis, *Rattus*, 163
 foetida, *Crocidura*, 16
 foetidus, *Rhinolophus*, 40
 formosus, *Otomops*, 59
 formosus, *Tragulus*, 195
 fornicatus, *Lariscus*, 146
 fortunatus, *Rattus*, 153
 fraterculus, *Sciurus*, 144
 fraternus, *Macroglossus*, 28
 fraternus, *Rattus*, 176
 fredericae, *Pithecus*, 77
 fredericae, *Prionodon*, 94
 fredericae, *Rattus*, 177
 frederici, *Herpestes*, 103
 fremens, *Rattus*, 166
 fretensis, *Pteropus*, 22
 fretensis, *Ratufa*, 121
 fretensis, *Taphozous*, 33
 frithii, *Coclops*, 47

MALAYSIAN MAMMALS

frontalis, *Ratufa*, 122
 frontatus, *Pithecus*, 81
 frugivorus, *Rattus*, 151
 fuliginosa, *Crocidura*, 17
 fuliginosus, *Miniopterus*, 57
 fulvescens, *Rattus*, 178
 fulvicollis, *Tragulus*, 197
 fulviventer, *Tragulus*, 198
 funereus, *Hylobates*, 64
 fusca, *Arctogalidia*, 100
 fusca, *Felis*, 105
 fusca, *Macaca*, 69
 fusca, *Kerivoula*, 56
 fuscatus, *Tragulus*, 193
 fuscipes, *Suncus*, 18
 fuscomurinus, *Pithecus*, 77

Galeopterus, 20
 galeritus, *Hipposideros*, 46
 gargantua, *Sus*, 193
 gaurus, *Bos*, 204
 geminorum, *Pteropus*, 22
 geminus, *Rhinolophus*, 40
 genepaiensis, *Simia*, 62
 genibarbis, *Petinomys*, 119
 gentilis, *Hipposideros*, 45
 gigantea, *Simia*, 62
 ginginianus, *Sciurus*, 132
 gliroides, *Chiropodomys*, 184
 glis, *Tupaia*, 1
 Glischropus, 51
 Globicephala, 110
 Glyphotes, 148
 gracilis, *Galeopterus*, 21
 gracilis, *Prionodon*, 94
 gracilis, *Rattus*, 176
 gracilis, *Tupaia*, 5
 grandidieri, *Cynopterus*, 25
 grandis, *Rattus*, 172
 gravida, *Crocidura*, 16
 grayi, *Sciurus*, 141
 griseicauda, *Sciurus*, 130
 griseicollis, *Ratufa*, 125
 griseiventer, *Rattus*, 152
 griseiventer, *Sciurus*, 138
 griswoldi, *Tupaia*, 6
 grotei, *Hystrix*, 187
 guentheri, *Trichys*, 189
 guillemardi, *Sciurus*, 134
 Gunomys, 186
 gunong, *Sciurus*, 142
 guy, *Manis*, 111
 gymmurus, *Echinosorex*, 11

Haeromys, 185
 hageni, *Petinomys*, 119
 halonifer, *Pithecus*, 79
 hantu, *Galeopterus*, 21
 Hapalomys, 185
 hardwichii (*sic*), *Prionodon*, 94
 hardwickii, *Hemigalus*, 101
 hardwickii, *Kerivoula*, 56
 hardwickii, *Rhinopoma*, 31
 harpax, *Cynopterus*, 27
 harpia, *Harpiocephalus*, 55

Harpiocephalus, 55
 harrisoni, *Hylopetes*, 116
 harrisoni, *Sciurus*, 129
 hasseltii, *Myotis*, 48
 hendersoni, *Tragulus*, 196
 henrici, *Martes*, 90
 Helarctos, 89
 Helictis, 91
 Hemigalus, 101
 hermani, *Myotis*, 49
 hermaphroditus, *Paradoxurus*, 95
 Herpestes, 102
 Hesperoptenus, 52
 hidongis, *Rattus*, 168
 hilleri, *Nycticebus*, 89
 hippelaphus, *Cervus*, 202
 Hipposideros, 42
 hippurellus, *Sciurus*, 141
 hippurosus, *Sciurus*, 141
 hippurus, *Sciurus*, 141
 hirsuta, *Chilophylla*, 48
 hirsutus, *Elephas*, 190
 hoevenii, *Arctonys*, 91
 homoourus, *Mus*, 183
 hoogerwerfi, *Rattus*, 159
 horsfieldii, *Cynopterus*, 26
 horsfieldii, *Iomys*, 114
 horsfieldii, *Lutra*, 93
 horsfieldii, *Macroglossus*, 28
 horsfieldi, *Myotis*, 48
 hosei, *Bos*, 206
 hosei, *Hemigalus*, 102
 hosei, *Herpestes*, 103
 hosei, *Lariscus*, 147
 hosei, *Petaurillus*, 116
 hosei, *Pithecus*, 78
 hosei, *Suncus*, 19
 hosei, *Tragulus*, 200
 hubbacki, *Bos*, 204
 humei, *Sciurus*, 128
 humeralis, *Ratufa*, 120
 humeralis, *Tupaia*, 5
 humilis, *Sciurus*, 144
Hylobates, 63
 hylomyoides, *Rattus*, 179
 Hylomys, 12
Hylopetes, 116
 hypochrysa, *Tupaia*, 4
 hypoleucos, *Ratufa*, 122
 hypomelanus, *Pteropus*, 22
Hystrix, 187

ictericus, *Sciurus*, 136
 ignitus, *Pithecus*, 81
 imbricatus, *Pipistrellus*, 50
 importunus, *Rhinolophus*, 37
 impudens, *Macaca*, 66
 inas, *Rattus*, 179
 incertus, *Herpestes*, 104
 incultus, *Rhinosciurus*, 148
 indica, *Balaenoptera*, 108
 indica, *Bandicota*, 186
 indica, *Ratufa*, 121
 indica, *Sciurus*, 128
 indicus, *Elephas*, 190
 indicus, *Globicephala*, 110

INDEX TO CHASEN (1940)

- indicus, Mops, 59
 indicus, Tapirus, 207
 inermis, Rhinoceros, 207
 inflata, Tupaia, 6
 inflatus, Rattus, 175
 infraluteus, Rattus, 163
 inornata, Arctogalidia, 100
 inquinatus, Sciurus, 141
 insignis, Hipposideros, 45
 insignis, Lariscus, 145
 insignis, Ratufa, 123
 insolens, Hipposideros, 46
 insularis, Nycticebus, 88
 insularis, Rhizomys, 151
 insularis, Tragulus, 198
 insularum Cynopterus, 26
 integer, Rattus, 163
 intermedia, Lutra, 92
 interposita, Ratufa, 122
 interscapularis, Capricornis, 206
 invisus, Hemigalus, 101
 Iomys, 114
 irus, Macaca, 66
- jacki, Tupaia, 2
 jacobsoni, Cheiromeles, 60
 jacobsoni, Rattus, 178
 jalorensis, Lariscus, 146
 jalorensis, Rattus, 152
 janetta, Paguma, 98
 jarak, Rattus, 154
 javanensis, Felis, 108
 javanensis, Herpestes, 102
 javanensis, Mydaus, 92
 javanica, Hystrix, 188
 javanica, Manis, 111
 javanica, Nycteris, 36
 javanica, Tupaia, 5
 javanicus, Cuon, 93
 javanicus, Cynopterus, 26
 javanicus, Herpestes, 103
 javanicus, Hipposideros, 45
 javanicus, Nycticebus, 89
 javanicus, Paradoxurus, 98
 javanicus, Pipistrellus, 51
 javanicus, Pteropus, 24
 javanicus, Rhinoceros, 207
 javanicus, Rhinolophus, 37
 javanicus, Tragulus, 193, 197
 javanus, Glischropus, 51
 javanus, Lariscus, 146
 javanus, Phoniscus, 57
 javanus, Rattus, 182
 javanus, Rhizomys, 150
 javensis, Ratufa, 120
 jemuris, Rattus, 154
 jentinki, Sciurus, 143
 jerdoni, Rattus, 178
 johorensis, Chaerephon, 59
 johorensis, Ratufa, 122
 johorensis, Sciurus, 139
 jourdani, Paguma, 98
 jubatulus, Sus, 191
 jubatus, Sus, 191
 jugularis, Tragulus, 194
 julianus, Rattus, 157
- kachhensis, Taphozous, 33
 kadanus, Rattus, 153
 kampenii, Taphozous, 33
 kanchil, Tragulus, 197
 kangeanus, Paradoxurus, 98
 karimoni, Macaca, 66
 keatii, Pithecus, 74
 kelaarti, Pteropus, 24
 Kerivoula, 55
 kerkhoveni, Arctictis, 99
 kina, Rattus, 175
 kinabalu, Megaderma, 34
 kinabaluensis, Rattus, 179
 kinlochii, Petaurillus, 116
 kiodontes, Macroglossus, 28
 kitcheneri, Pipistrellus, 50
 klossii, Crocidura, 16
 klossii, Hylobates, 63
 klossii, Rhinolophus, 37
 klossii, Rattus, 181
 klossii, Sciurus, 140
 klossii, Talpa, 13
 klossii, Tragulus, 200
 klossii, Viverricula, 95
 knekias, Simia, 61
 kohlbruggei, Pithecus, 83
 korinchi, Rattus, 159
 kra, Macaca, 66
 kroonii, Suncus, 18
 kuchingensis, Sciurus, 130
 kuhlii, Cervus, 202
 kuhlii, Scotophilus, 54
 kunduris, Rattus, 157
- labiatus, Nyctalus, 53
 labuanus, Manis, 111
 labuanensis, Hipposideros, 47
 lacernata, Tupaia, 2
 laenata, Ratufa, 121
 laeta, Macaca, 69
 lagochilus, Macroglossus, 29
 lamucotanus, Rattus, 158
 lamucotanus, Sciurus, 138
 lancavensis, Rattus, 165
 lancavensis, Sciurus, 127
 lancavensis, Tragulus, 199
 lancavensis, Viverra, 95
 landakkensis, Simia, 62
 langkatensis, Simia, 62
 lapsus, Macaca, 66
 lar, Hylobates, 64
 Lariscus, 145
 larvata, Paguma, 98
 larvatus, Hipposideros, 45
 larvatus, Nasalis, 83
 lasiae, Macaca, 69
 lasiae, Megaderma, 34
 lasiac, Rattus, 158
 lasiotis, Martes, 90
 lasiotis, Rhinoceros, 207
 laticaudatus, Rhinosciurus, 147
 lautensis, Galeopterus, 21
 lautensis, Macaca, 69
 lautensis, Sciurus, 136
 lawuana, Crocidura, 14
 lechei, Galeopterus, 21

MALAYSIAN MAMMALS

- legatus, *Chiropodomys*, 184
 leo, *Rhinosciurus*, 148
 leonis, *Rattus*, 168
 lepidura, *Crocidura*, 16
 lepidus, *Hylopetes*, 116
 lepidus, *Iomys*, 115
 lepidus, *Myotis*, 48
 lepidus, *Pteropus*, 23
 leptonyx, *Lutra*, 93
 leptura, *Manis*, 111
 lepturoides, *Rattus*, 178
 lepturus, *Rattus*, 177
 Lepus, 111
 leschenaultii, *Ratufa*, 120
 leschenaultii, *Rousettus*, 22
 leucisca, *Hylobates*, 64
 leucocephala, *Mustela*, 91
 leucocephala, *Paguma*, 99
 leucogaster, *Tupaia*, 5
 leucomystax, *Paguma*, 99
 leucomystax, *Pithecius*, 79
 leucoprymnus, *Bos*, 205
 leucotis, *Arctogalidia*, 100
 leucotis, *Tamias*, 148
 lieftincki, *Rattus*, 178
 lighti, *Sciurus*, 133
 lignicolor, *Paradoxurus*, 97
 lingae, *Macaca*, 66
 lingae, *Tupaia*, 7
 lingensis, *Rattus*, 172
 lungungensis, *Macaca*, 69
 lungungensis, *Sciurus*, 144
 linsang, *Prionodon*, 94
 lipura, *Trichys*, 189
 longicauda, *Hipposideros*, 46
 longicauda, *Hystrix*, 187
 longicauda, *Tupaia*, 1
 longicaudatus, *Hapalomys*, 185
 longimana, *Hylobates*, 64
 longimanus, *Taphozous*, 32
 longipes, *Tragulus*, 197
 longipes, *Tupaia*, 4
 longirostris, *Sus*, 192
 lontaris, *Rattus*, 153
 lovii, *Lutra*, 93
 lowi, *Bos*, 205
 lowii, *Lutra*, 93
 lowii, *Ptilocercus*, 11
 lowii, *Sciurus*, 143
 lucas, *Rattus*, 165
 lucasi, *Penthetor*, 28
 lucida, *Tupaia*, 3
 lucifer, *Mydaus*, 92
 luciferoides, *Mydaus*, 92
 luctus, *Rhinolophus*, 40
 lugens, *Petinomys*, 119
 lugens, *Rattus*, 158
 lumbholtzi, *Petaurista*, 112
 lumbholzi, *Ratufa*, 124
 lunaris, *Sciurus*, 135
 luta, *Rattus*, 164
 luteicollis, *Tragulus*, 200
 luteolus, *Rattus*, 168
 lutescens, *Sciurus*, 137
 lutescens, *Tragulus*, 195
 Lutra, 92
 lutra, *Lutra*, 92
 lutreolina, *Mustela*, 90
 luxuriosus, *Rattus*, 157
 lylei, *Hipposideros*, 42
 lyoni, *Cynopterus*, 26
 lyra, *Megaderma*, 36
 mabalus, *Rattus*, 174
 Macaca, 65
 maccourus, *Helictis*, 91
 macellus, *Myotis*, 48
 macleari, *Rattus*, 164
 macra, *Arctogalidia*, 101
 macrocelis, *Felis*, 106
 macroceros, *Bos*, 206
 macrodus, *Lutra*, 93
 macrodus, *Paradoxurus*, 98
 MacroGLOSSUS, 28
 macrorhyncha, *Globicephala*, 110
 macrotis, *Pipistrellus*, 50
 macrotis, *Rheithrosciurus*, 149
 macrotis, *Rhinolophus*, 41
 macrotis, *Trichys*, 189
 macrourus, *Atherurus*, 188
 maculata, *Balionycteris*, 27
 maculipectus, *Rattus*, 177
 madsoedi, *Sciurus*, 138
 madurae, *Sciurus*, 132
 madurensis, *Rhinolophus*, 37
 maerens, *Petinomys*, 119
 maerens, *Rattus*, 158
 major, *Arctogalidia*, 101
 major, *Chiropodomys*, 184
 major, *Crocidura*, 16
 major, *Cynopterus*, 25
 major, *Eonycteris*, 28
 major, *Hipposideros*, 45
 major, *Hystrix*, 188
 major, *Ratufa*, 120
 malaccana, *Tupaia*, 5
 malaccanus, *Petinomys*, 119
 malaccensis, *Cervus*, 201
 malaccensis, *Herpestes*, 103
 malaccensis, *Manis*, 111
 malaccensis, *Pteropus*, 24
 malaccensis, *Viverricula*, 95
 malaiana, *Nycticebus*, 88
 malaisia, *Rattus*, 183
 malawali, *Rattus*, 176
 malawali, *Sciurus*, 137
 malayana, *Crocidura*, 16
 malayana, *Kerivoula*, 55
 malayana, *Talpa*, 13
 malayana, *Tyloonycteris*, 52
 malayanus, *Helarctos*, 89
 malayanus, *Prodelphinus*, 110
 malayanus, *Rhinolophus*, 36
 malayanus, *Suncus*, 18
 malayanus, *Tapirus*, 207
 mandibularis, *Macaca*, 66
 mandus, *Rattus*, 181
 mangalumis, *Rattus*, 157
 manicalis, *Rattus*, 171
 Manis, 111
 mansalaris, *Macaca*, 66
 mansalaris, *Rattus*, 167
 mansalaris, *Sciurus*, 143

INDEX TO CHASEN (1940)

- maporensis, *Crocidura*, 17
 maporensis, *Sciurus*, 135
 mapravis, *Sciurus*, 126
 mara, *Rattus*, 163
 marchio, *Petaurista*, 113
 margarettae, *Haeromys*, 185
 marinsularis, *Sciurus*, 138
 marmorata, *Felis*, 107
Martes, 90
 masae, *Rattus*, 167
 masae, *Ratufa*, 123
 masae, *Tragulus*, 200
 masae, *Tupaia*, 7
 maxi, *Crocidura*, 17
 maxi, *Hylomys*, 12
 maxi, *Rattus*, 164
 maximus, *Elephas*, 190
 mayapahit, *Rattus*, 167
 maclellandii *Tamiops*, 148
 mediuu *Megaderma*, 34
 medius, *Miniopterus*, 58
Megaderma, 34
Megaerops, 27
 megaspila, *Viverra*, 95
 melalophos, *Pithecus*, 76
 melanauchen, *Lepus*, 111
 melanocephalus, *Chironax*, 28
 melanogaster, *Sciurus*, 140
 melanopepla, *Ratufa*, 121
 melanopogon, *Taphozous*, 33
 melanops, *Sciurus*, 129
 melanorhyncha, *Crocidura*, 17
 melanotis, *Nannosciurus*, 149
 melanotus, *Petaurista*, 113
 melanotus, *Pteropus*, 24
 melanura, *Dendrogale*, 10
 melanurus, *Pithecheir*, 186
 melas, *Felis*, 105
 meliceps, *Mydaus*, 92
 melinogaster, *Rattus*, 180
 mendanauus, *Sciurus*, 129
Menetes, 145
 mengurus, *Rattus*, 175
 mentawi, *Rattus*, 158
 mentawi, *Sciurus*, 140
Meomeris, 109
 meridionalis, *Lariscus*, 146
 microdon, *Rattus*, 172
 microrhynchus, *Sciurus*, 139
 microtis, *Sciurus*, 133
 milleri, *Paradoxurus*, 97
 milleri, *Sciurus*, 126
 milleri, *Sus*, 191
 mima, *Arctogalidia*, 100
 mimellus, *Sciurus*, 132
 mimiculus, *Sciurus*, 131
 mimicus, *Petaurista*, 114
 mimus, *Sus*, 192
 miniatus, *Sciurus*, 133
 minimus, *Macroglossus*, 28
Miniopterus, 57
 minor *Arctogalidia*, 100
 minor *Cynopterus*, 26
 minor, *Echinosorex*, 12
 minor *Hemigalus*, 101
 minor, *Paradoxurus*, 96, 97
 minor, *Rhinolophus*, 38
 minor, *Rousettus*, 22
 minor, *Tupaia*, 5
 minuta, *Crocidura*, 17
 minuta, *Felis*, 108
 minuta, *Kerivoula*, 57
 minutillus, *Rhinolophus*, 38
 minutus, *Cynopterus*, 26
 minutus, *Rhinolophus*, 38
 mitrata, *Pithecus*, 77
 modestus, *Sciurus*, 142
 modiglianii, *Pteropus*, 24
 moheius, *Rattus*, 153
 moheius, *Sciurus*, 127
 mohillius, *Sciurus*, 127
 moloch, *Hylobates*, 64
 montana, *Tupaia*, 4
 montanoi, *Cynopterus*, 25
 montanus, *Muntiacus*, 203
 montanus, *Mydaus*, 92
 monticola, *Crocidura*, 15
 monticola, *Emballonura*, 31
Mops, 59
 mops, *Mops*, 59
 mordax, *Macaca*, 70
 mordax, *Pipistrellus*, 50
 morio, *Rhinolophus*, 40
 morio, *Simia*, 60
Mormopterus, 59
 moschatus, *Muntiacus*, 203
 mülleri, *Hylobates*, 64
 mülleri, *Hystrix*, 187
 mülleri, *Rattus*, 161
 mülleri, *Tupaia*, 4
Muntiacus, 202
 muntia, *Rattus*, 170
 muntjak, *Muntiacus*, 202
 murianus, *Lariscus*, 147
 muriavensis, *Viverricula*, 95
 muricola, *Myotis*, 49
Murina, 55
 murina, *Dendrogale*, 10
 murinus, *Suncus*, 18
 murrayi, *Pipistrellus*, 51
Mus, 183
 musanga, *Paradoxurus*, 96
 musangoides, *Paradoxurus*, 96
 musculus, *Balaenoptera*, 108
 musculus, *Mus*, 183
Mustela, 90
Mycteromys, 185
Mydaus, 92
Myotis, 48
 mystaceus, *Sus*, 192

 nainggolani, *Muntiacus*, 203
 nainggolani, *Tupaia*, 6
 nakanus, *Sciurus*, 126
Nannosciurus, 149
 nonogigas, *Ratufa*, 124
 napu, *Tragulus*, 194
Nasalis, 83
 nasalis, *Rhinoceros*, 207
 nasica, *Nasalis*, 83
 nasutus, *Rattus*, 164
 natalis, *Pteropus*, 24
 nativitatis, *Rattus*, 183

MALAYSIAN MAMMALS

- natunae, Galeopterus, 21
 natunae, Megaderma, 34
 natunae, Nycticebus, 89
 natunae, Pithecius, 75
 natunae, Pteropus, 24
 natunae, Rattus, 173
 natunae, Tragulus, 201
 natunae, Tupaia, 3
 natunensis, Hipposideros, 43
 natunensis, Sciurus, 144
 natunensis, Sus, 192
 natunensis, Tarsius, 86
 navigator, Sciurus, 131
 nebulosa, Felis, 106
 neglecta, Crocidura, 15
 neglectus, Hipposideros, 46
 neglectus, Pithecius, 70
 neglectus, Rattus, 152
 negligens, Crocidura, 16
 nemestrina, Macaca, 65
 nequam, Hipposideros, 45
 nereis, Rhinolophus, 37
 nesiotis, Sciurus, 135
 nesites, Rhinolophus, 38
 Nesolagus, 111
 netscheri, Nesolagus, 111
 neubronneri, Tragulus, 194
 niadensis, Sus, 192
 niadicus, Pteropus, 24
 niadis, Chiropodomys, 184
 niasense, Megaderma, 35
 niasensis, Arctictis, 99
 niasensis, Myotis, 49
 niasensis, Rhinolophus, 41
 niasis, Tragulus, 194
 nicotianae, Sciurus, 135
 niger, Rhinoceros, 207
 nigra, Felis, 105
 nigrescens, Ratufa, 123
 nigricans, Felis, 105
 nigricaudatus, Petaurista, 112
 nigricollis, Lepus, 111
 nigricollis, Tragulus, 196
 nigrimanus, Pithecius, 74
 nigrocinctus, Tragulus, 196
 nigrovittatus, Sciurus, 138
 niobe, Lariscus, 145
 nitida, Tupaia, 6
 nitidulus, Petaurista, 112
 nitidus, Petaurista, 112
 nobilis, Hipposideros, 42
 nobilis, Pithecius, 76
 noctula, Nyctalus, 53
 norvegicus, Rattus, 182
 notabilis, Ratufa, 124
 notatus, Sciurus, 132
 novemlineatus, Tamiops, 148
 nubigena, Pithecius, 74
 nucifera, Macaca, 65
 nudaster, Taphozous, 33
 nudifrons, Pithecius, 81
 nudipes, Mustela, 90
 Nyctalus, 53
 Nycteris, 36
 Nycticebus, 88
 nyx, Sciurus, 129
 obscura, Tupaia, 1
 obscuratus, Rattus, 180
 obscurus, Lariscus, 146
 obscurus, Pithecius, 79
 obscurus, Rattus, 159
 occidentalis, Tupaia, 5
 oceanus, Cervus, 202
 ochraceiventer, Rattus, 179
 ogilbyi, Paguma, 99
 oi, Sus, 193
 ollula, Mydaus, 92
 operosa, Tupaia, 1
 orbus, Rattus, 176
 Orcaella, 109
 orca, Orcinus, 109
 Orcinus, 109
 oreias, Myotis, 49
 orestes, Sciurus, 139
 orientalis, Crocidura, 14
 orientalis, Helictis, 91
 orientalis, Herpestes, 104
 orientalis, Nasalis, 84
 ornatus, Nycticebus, 89
 otiosus, Rattus, 163
 Otomops, 59
 otteni, Rattus, 160
 ouwensi, Mus, 184
 owenii, Simia, 62
 pachypus, Tylonycteris, 51
 padangus, Paradoxurus, 97
 padangensis, Rhizomys, 151
 paenulatus, Pithecius, 75
 pageli, Arctictis, 99
 pagensis, Cynopterus, 26
 pagensis, Macaca, 66
 pagensis, Rattus, 174
 Paguma, 98
 paitana, Tupaia, 7
 Palembang, Rattus, 152
 palliata, Ratufa, 121
 pallidus, Nannosciurus, 149
 pallidus, Tragulus, 200
 palustris, Sciurus, 129
 pan, Rattus, 178
 pangandarana, Megaderma, 34
 panglima, Rattus, 174
 panjioli, Sciurus, 126
 panjius, Rattus, 153
 panjius, Sciurus, 126
 pannellus, Rattus, 154
 pannosus, Rattus, 153
 pannovianus, Sciurus, 137
 papillosa, Kerivoula, 55
 paradoxura, Crocidura, 15
 Paradoxurus, 95
 parallelus, Tragulus, 196
 pardus, Felis, 105
 parvus, Hylomys, 12
 parvus, Paradoxurus, 97
 parvus, Pithecheir, 186
 parvus, Sciurus, 142
 pauper, Rattus, 157
 payanus, Rattus, 154
 peguensis, Chiropodomys, 184
 pelandoc, Tragulus, 197

INDEX TO CHASEN (1940)

- pelapius, Sciurus, 130
 pellucida, Kerivoula, 57
 pellax, Rattus, 168
 pemanggis, Rattus, 156
 pemangilensis, Sciurus, 134
 pemangilis, Atherurus, 189
 pemangilis, Rattus, 172
 pemangilis, Tupaia, 2
 penangensis, Iomys, 115
 penangensis, Petaurista, 113
 penangensis, Ratufa, 121
 penangensis, Tragulus, 199
 penangensis, Tupaia, 1
 pendleburyi, Hipposideros, 42
 penialius, Sciurus, 129
 penicillatus, Arctictis, 99
 peninsulae, Galeopterus, 20
 peninsulae, Herpestes, 104
 peninsulae, Lariscus, 146
 peninsulae, Muntiacus, 203
 peninsulae, Ratufa, 121
 peninsularis, Emballonura, 31
 peninsularis, Martes, 90
 peninsularis, Menetes, 145
 peninsularis, Sciurus, 133
 peninsularis, Sus, 191
 Penthetor, 28
 peracer, Rhinosciurus, 148
 perakensis, Herpestes, 104
 percura, Pithecus, 75
 perflavus, Rattus, 174
 perflavus, Tragulus, 195
 perhentiani, Sciurus, 134
 perhentianus, Galeopterus, 20
 perhentianus, Rattus, 155
 perlutus, Rattus, 180
 persimilis, Cynopterus, 26
 perspicillata, Lutra, 93
 Petaurillus, 116
 Petaurista, 112
 petaurista, Petaurista, 112
 Petinomys, 119
 peytoni, Myotis, 49
 phaeomelas, Aeromys, 120
 phacopepla, Ratufa, 121
 phaeura, Chimmargale, 19
 phaeura, Macaca, 69
 phaeura, Tupaia, 3
 phayrei, Hylopetes, 118
 philippinensis, Paradoxurus, 98
 philippinensis, Rhinolophus, 39
 phipsoni, Petinomys, 119
 phocaenoides, Meomeris, 109
 phoeniura, Tupaia, 2
 Phoniscus, 57
 physalus, Balaenoptera, 108
 Physeter, 109
 piceus, Sciurus, 128
 picta, Kerivoula, 56
 picta, Tupaia, 6
 pictor, Chiropodomys, 185
 pidonis, Rattus, 171
 pidonis, Tragulus, 198
 pilosus, Rhinolophus, 41
 pinacus, Rattus, 174
 pinatus, Rattus, 162
 piniensis, Ratufa, 123
 piniensis, Sciurus, 144
 pinus, Tragulus, 200
 pipidonis, Rattus, 153
 pipidonis, Sciurus, 126
 Pipistrellus, 50
 piratae, Rattus, 181
 Pithecheir, 186
 Pithecus, 70
 planiceps, Felis, 106
 plantani, Sciurus, 132
 plasticus, Sciurus, 134
 platyurus, Hylopetes, 118
 pleiharicus, Muntiacus, 203
 plicatus, Chaerephon, 58
 plumbea, Sotalia, 110
 pluto, Sciurus, 131
 pluton, Pteropus, 24
 polia Ratufa, 124
 poliopus Sciurus, 137
 pollens, Rattus, 162
 porteri, Bos, 205
 potens, Rattus, 161
 potenzianni, Pithecus, 78
 pretiellus, Tragulus, 196
 pretiosus, Sciurus, 136
 pretiosus, Tragulus, 196
 prevostii, Sciurus, 128
 princeps, Cynopterus, 26
 Prionodon, 94
 procerus, Sciurus, 142
 Prodelphinus, 110
 proserpinae, Sciurus, 130
 proteus, Sciurus, 133
 pruinosa, Viverra, 94
 pruniosus, Pithecus, 83
 pruinosis, Rhizomys, 150
 pryeri, Sciurus, 141
 Pteromyscus, 116
 pteronotus, Pteropus, 24
 Pteropus, 22
 Ptilocercus, 11
 pudjonica, Crocidura, 15
 puket, Rattus, 169
 pulcher, Nannosciurus, 149
 pullata, Pithecus, 83
 pullus, Rattus, 159
 pulonis, Tupaia, 2
 pulverulentus, Pteromyscus, 116
 pumila, Macaca, 69
 pumilus, Galeopterus, 20
 pumilus, Sciurus, 144
 pumilus, Tragulus, 199
 punctatus, Petaurista, 114
 punctulata, Felis, 107
 pusilla, Emballonura, 31
 pusilla, Kerivoula, 56
 pusillus, Chiropodomys, 185
 pusillus, Haeromys, 185
 pusillus, Rhinolophus, 38
 pygmacus, Simia, 60
 pyrrhus, Pithecus, 81
 pyrsonota, Ratufa, 122
 rafflesii, Echinorex, 11
 rafflesii, Herpestes, 103
 rafflesi, Hylobates, 63
 rafflesii, Sciurus, 128

MALAYSIAN MAMMALS

- rajah, *Herpestes*, 103
 rajah, *Petaurista*, 112
 rajah, *Rattus*, 168
 rama, *Mus*, 184
 rantaiensis, *Simia*, 62
 rapit, *Rattus*, 176
 rasse, *Viverricula*, 95
Rattus, 151
 rattus, *Rattus*, 151
 Ratufa, 120
 raviana, *Tupaia*, 2
 ravulus, *Tragulus*, 199
 ravus, *Miniopterus*, 58
 ravus, *Paradoxurus*, 97
 ravus, *Rattus*, 172
 ravus, *Tragulus*, 198
 readi, *Bos*, 204
 recurvus, *Nasalis*, 83, 84
 redacta, *Tupaia*, 3
 redimitus, *Sciurus*, 128
 refulgens, *Rhinolophus*, 38
 remotus, *Rattus*, 161
 renschi, *Cervus*, 202
 resima, *Macaca*, 70
 retectus, *Nannosciurus*, 150
Rheithrosciurus, 149
Rhinoceros, 207
Rhinolophus, 36
Rhinopoma, 31
Rhinosciurus, 147
 rhionis, *Pithecus*, 74
 rhionis, *Rhinosciurus*, 148
 rhionis, *Rattus*, 157
 rhionis, *Sus*, 191
Rhizomys, 150
 rhizophoreus, *Felis*, 107
 riabus, *Tupaia*, 4
 ridleyi, *Hipposideros*, 43
 ridleyi, *Pipistrellus*, 51
 rivalis, *Emballonura*, 31
 roa, *Rattus*, 157
 robinsoni, *Capricornis*, 206
 robinsoni, *Coelops*, 47
 robinsoni, *Martes*, 90
 robinsoni, *Muntiacus*, 203
 robinsoni, *Pithecus*, 74
 robinsoni, *Pteropus*, 23
 robinsoni, *Rhinolophus*, 37
 robinsoni, *Rhinosciurus*, 148
 robinsoni, *Rattus*, 154
 robinsoni, *Sciurus*, 143
 robustula, *Tylonycteris*, 52
 robusta, *Paguma*, 98
 roquei, *Rattus*, 152
 rostratus, *Lariscus*, 145
 rostratus, *Macroglossus*, 28
 rostratus, *Steno*, 110
 Roussetus, 22
 rubeculus, *Sciurus*, 128
 ruber, *Felis*, 104
 ruber, *Herpestes*, 103
 rubeus, *Tragulus*, 200
 rubicundus, *Pithecus*, 80
 rubidiventris, *Sciurus*, 136
 rubidus, *Pithecus*, 80
 rubidus, *Muntiacus*, 203
 rubidus, *Paguma*, 99
 rufa, *Rhinolophus*, 39
 rufescens, *Macaca*, 65
 ruficaudata, *Tupaia*, 4
 rufigenis, *Dremomys*, 147
 rufogaster, *Sciurus*, 141
 rufogularis, *Sciurus*, 128
 rufonigra, *Sciurus*, 131
 rufulus, *Tragulus*, 195
 rufus, *Harpiocephalus*, 55
 rufus, *Simia*, 61
 rumpia, *Rattus*, 154
 rupatius, *Sciurus*, 135
 russa, *Cervus*, 202
 russeus, *Tragulus*, 200
 russulus, *Tragulus*, 200
 rutilans, *Cuon*, 93
 rutiliventris, *Sciurus*, 136
 saba, *Martes*, 90
 sabanus, *Hipposideros*, 44
 sabanus, *Paradoxurus*, 98
 sabanus, *Pithecus*, 78
 sabanus, *Rattus*, 164
Saccolaimus, 32
 saccolaimus, *Saccolaimus*, 32
 sagitta, *Hylopetes*, 116
 salanga, *Rattus*, 166
 salatana, *Tupaia*, 4
 saltator, *Tarsius*, 86
 samati, *Rattus*, 152
 samuiensis, *Sciurus*, 127
 sanborni, *Rhinolophus*, 39
 sandakanensis, *Ratufa*, 124
 sanggau, *Sciurus*, 130
 sarawakensis, *Sciurus*, 130
 saturatus, *Galeopterus*, 20
 saturatus, *Lariscus*, 146
 saturatus, *Rhinosciurus*, 148
 saturatus, *Rattus*, 174
 saturatus, *Sciurus*, 136
 satyrus, *Simia*, 60
 schlegelii, *Balaenoptera*, 108
 schneideri, *Hipposideros*, 47
 schuitemakeri, *Rattus*, 160
Sciurus, 125
Scotophilus, 54
 scottii, *Sciurus*, 134
 sebucus, *Rattus*, 163
 sebucus, *Tragulus*, 195
 sedulus, *Rhinolophus*, 40
 seimundi, *Balionycteris*, 27
 seimundi, *Pithecus*, 80
 seimundi, *Sciurus*, 144
 semitorquatus, *Herpestes*, 103
 seraiae, *Sciurus*, 136
 serutus, *Rattus*, 174
 serutus, *Sciurus*, 137
 setifera, *Bandicota*, 186
 setiger, *Rattus*, 182
 setosus, *Petinomys*, 119
 shortridgei, *Roussetus*, 22
 siaca, *Tupaia*, 2
 siamensis, *Pithecus*, 74
 siantanicus, *Rattus*, 157
 siantanicus, *Sciurus*, 142
 siantanicus, *Tragulus*, 196

INDEX TO CHASEN (1940)

- siberu, *Lariscus*, 146
siberu, *Paradoxurus*, 97
siberu, *Pithecus*, 78
siberu, *Sciurus*, 144
siberu, *Simias*, 85
siberu, *Tupaia*, 3
sigillata, *Viverra*, 94
simalurensis, *Rattus*, 158
simalurus *Pteropus*, 23
Simia, 60
Simias, 85
similis, *Rattus*, 168
simplex, *Arctogalidia*, 100
simplex, *Paradoxurus*, 97
simung, *Lutra*, 93
simus, *Glyphotes*, 148
sincipis, *Tupaia*, 5
sinensis, *Megaderma*, 36
singaporensis, *Sciurus*, 133
sinhaleyas, *Elephas*, 190
sipora, *Hemigalus*, 102
sipora, *Hylomys*, 117
sipora, *Iomys*, 115
siporanus, *Rattus*, 167
sirhassenensis, *Macaca*, 69
sirhassenensis, *Ratufa*, 124
sirhassenensis, *Tupaia*, 7
siriensis, *Sciurus*, 133
siumatis, *Megaderma*, 35
skalauensis, *Simia*, 62
sobrinus, *Macroglossus*, 28
soccatus, *Rattus*, 167
sodyi, *Rattus*, 183
solaris, *Rattus*, 175
solitarius, *Rhinolophus*, 41
solus, *Rattus*, 177
solutatus, *Scotophilus*, 54
sondaica, *Felis*, 105
sondaica, *Ratufa*, 120
sondaicus, *Bos*, 205
sondaicus, *Pithecus*, 83
sondaicus, *Rhinoceros*, 207
sordida, *Tupaia*, 2
sordidus, *Nannosciurus*, 150
sordidus, *Sciurus*, 142
soricinus, *Nannosciurus*, 149
Sotalia, 110
spadiceus, *Dyacopterus*, 27
spadiceus, *Hylomys*, 118
spadix, *Rhinolophus*, 37
spasma, *Megaderma*, 34
spatulatus, *Rattus*, 176
speciosa, *Macaca*, 65
speciosa, *Tupaia*, 6
speciosus, *Pteropus*, 23
spelaea, *Eonycteris*, 28
speoris, *Hipposideros*, 47
sphinx, *Cynopterus*, 25
splendidula, *Tupaia*, 4
spurcus, *Rattus*, 171
stanleyanus, *Tragulus*, 195
stellaris, *Petaurista*, 113
stellaris, *Sciurus*, 135
Steno, 110
stenopterus, *Nyctalus*, 53
steno, *Rhinolophus*, 37
stigmatica, *Arctogalidia*, 100
stoliczkana, *Asellia*, 47
stragulum, *Rattus*, 160
strepitans, *Rattus*, 167
stresemanni, *Pithecus*, 83
stresemanni, *Sciurus*, 133
stridens, *Rattus*, 166
styx, *Pithecus*, 80
subcornutus, *Muntiacus*, 202
subitus, *Rattus*, 182
subluteus, *Sciurus*, 133
subrufus, *Tragulus*, 200
subsignanus, *Sciurus*, 143
subulidens, *Pipistrellus*, 51
suffusus, *Sciurus*, 130
suilla, *Murina*, 55
suillus, *Hylomys*, 12
sumatrae, *Felis*, 105
sumatrae, *Hystrix*, 188
sumatrae, *Rattus*, 175
sumatrae, *Rhinopoma*, 31
sumatraensis, *Capricornis*, 206
sumatrana, *Chimmarogale*, 19
sumatrana, *Arctogalidia*, 101
sumatrana, *Felis (bengalensis)*, 107
sumatrana, *Felis (tigris)*, 105
sumatrana, *Lutra*, 93
sumatranus, *Elephas*, 190
sumatranus, *Nannosciurus*, 149
sumatranus, *Paradoxurus*, 96
sumatranus, *Petaurista*, 114
sumatranus, *Pithecus*, 75
sumatranus, *Rhinolophus*, 39
sumatranus, *Sciurus*, 128
sumatranus, *Suncus*, 18
sumatranus, *Tapirus*, 207
sumatrensis, *Cuon*, 93
sumatrensis, *Manis*, 111
sumatrensis, *Nycticebus*, 89
sumatrensis, *Pteropus*, 24
sumatrensis, *Rhinoceros*, 207
sumatrensis, *Rhizomys*, 150
sumatrius, *Herpestes*, 102
sumbawae, *Hystrix*, 188
Suncus, 18
sundaicus, *Helictis*, 91
sundavensis, *Gunomys*, 186
superans, *Rhinolophus*, 38
surifer, *Rattus*, 168
surdus, *Rattus*, 160
surdus, *Sciurus*, 142
Sus, 190
swettenhami, *Capricornis*, 206
syndactylus, *Hylobates*, 63

tacopius, *Sciurus*, 126
tahan, *Sciurus*, 142
Talpa, 13
tamansari, *Sciurus*, 132
tambelanicus, *Rattus*, 157
Tamiops, 148
tana, *Tupaia*, 6
tangkalunga, *Viverra*, 94
tapanulius, *Rattus*, 165
tapanulius, *Sciurus*, 135
Taphozous, 32
Tapirus, 207

MALAYSIAN MAMMALS

- tarayensis, *Lutra*, 93
 tarsier, *Tarsius*, 86
Tarsius, 86
 tarussanus, *Sciurus*, 134
 taylori, *Galeopterus*, 20
 taylori, *Petaurista*, 112
 tedongus, *Sciurus*, 135
 telibius, *Sciurus*, 127
 telibon, *Rattus*, 170
 tellonis, *Galeopterus*, 20
 temmincki, *Rattus*, 178
 temminckii, *Felis*, 106
 temminckii, *Galeopterus*, 20
 temminckii, *Scotophilus*, 54
 tenasserimensis, *Felis*, 107
 tenggerana, *Canis*, 93
 tenuirostris, *Sciurus*, 134
 tenuis, *Chaerephon*, 59
 tenuis, *Pipistrellus*, 50
 tenuis, *Sciurus*, 141
 tephromelas, *Aeromys*, 120
 tephrra, *Tupaia*, 3
 terempa, *Rattus*, 163
 tersus, *Rattus*, 165
 terutaus, *Atherurus*, 189
 terutaus, *Galeopterus*, 20
 terutaus, *Petaurista*, 113
 terutavensis, *Sciurus*, 127
 terutus, *Tragulus*, 194
 theobaldi, *Taphozous*, 33
 thomasi, *Hylopetes*, 118
 thomasi, *Pithecus*, 78
 thomsoni, *Iomys*, 115
 tibialis, *Miniopterus*, 58
 tigris, *Felis*, 104
 tikos, *Rattus*, 152
 timorensis, *Cervus*, 201
 tingia, *Arctogalidia*, 101
 tingia, *Felis*, 107
 tingius, *Rattus*, 156
 tiomanensis, *Ratufa*, 121
 tiomanicus, *Rattus*, 155
 tiomanicus, *Sciurus*, 142
 tionis, *Atherurus*, 188
 tionis, *Crocidura*, 16
 tionis, *Hylomys*, 12
 tjibruniensis, *Tupaia*, 5
 tjibunensis, *Rattus*, 179
 titthaechilus, *Cynopterus*, 25
 tomesi, *Hesperoptenus*, 53
 tomesi, *Pteropus*, 23
 torquata, *Hystrix*, 188
 torquatus, *Cheiromeles*, 60
 toupai, *Sciurus*, 134
 trachynotus, *Rattus*, 179
 tragata, *Nycteris*, 36
Tragulus, 193
 tralatitius, *Pipistrellus*, 51
 treubii, *Rattus*, 178
 trichura, *Crocidura*, 17
 trifoliatu, *Rhinolophus*, 41
 trifolium, *Megaderma*, 34
 trivirgata, *Arctogalidia*, 100
 tua, *Rattus*, 158
 tuakensis, *Simia*, 62
 tuancus, *Galeopterus*, 20
 tuancus, *Rattus*, 167
 tuancus, *Sus*, 192
 tuancus, *Tupaia*, 7
 tunjuc, *Cervus*, 201
Tupaia, 1
 tupaoides, *Rhinosciurus*, 148
 turbidus, *Rattus*, 152
 Tursiops, 110
Tytonycteris, 51
 tylopus, *Glischropus*, 51
 ubecus, *Rattus*, 174
 ubericolor, *Sciurus*, 136
 ultima, *Tupaia*, 1
 ultimus, *Pithecus*, 83
 ululans, *Rattus*, 164
 umbratilis, *Tupaia*, 2
 umbriceps, *Rhizomys*, 150
 umbrinus, *Tragulus*, 194
 undata, *Felis*, 108
 undatus, *Galeopterus*, 20
 unicolor, *Cervus*, 201
 uniformis, *Herpestes*, 103
 unko, *Hylobates*, 63
 urbanus, *Mus*, 183
 urva, *Herpestes*, 103
 utara, *Tupaia*, 6
 valens, *Rattus*, 161
 validus, *Rattus*, 163
 vampyrus, *Pteropus*, 24
 vanakeni, *Sciurus*, 144
 vanheurni, *Sciurus*, 132
 variegata, *Felis*, 105
 variegatus, *Galeopterus*, 20
 variegatus, *Hylobates*, 64
 varillus, *Gunomys*, 186
 varius, *Gunomys*, 186
 varius, *Hylobates*, 64
 venetus, *Sciurus*, 139
 verbeeki, *Rattus*, 168
 verbeeki, *Sciurus*, 132
 verecundus, *Eptesicus*, 53
 verrucosus, *Sus*, 192
 vicarius, *Hipposideros*, 42
 viclana, *Rattus*, 154
 victor, *Rattus*, 163
 vigilans, *Pithecus*, 83
 villosa, *Crocidura*, 15
 villosus, *Rattus*, 161
 virgicollis, *Tragulus*, 200
 virtus, *Rattus*, 161
 vitiis, *Macaca*, 68
 vittata, *Ratufa*, 125
 vittatula, *Ratufa*, 125
 vittatus, *Sciurus*, 134
 vittatus, *Sus*, 191
Viverra, 94
Viverricula, 95
 viverrina, *Felis*, 107
 vociferans, *Rattus*, 164
 volzi, *Hylobates*, 63
 vordermanni, *Petinomys*, 119
 vordermanni, *Pipistrellus*, 50
 vosmaeri, *Crocidura*, 16
 vulcani, *Mycteromys*, 185

INDEX TO CHASEN (1940) MALAYSIAN MAMMALS

vulcanus, *Lariscus*, 147
vulgaris, *Hipposideros*, 45

wagati, *Felis*, 107
wallichi, *Simia*, 61
watsoni, *Sciurus*, 134
weberi, *Crocidura*, 61
whiteheadi, *Nannosciurus*, 149
whiteheadi, *Rattus*, 180
wilkinsoni, *Tupaia*, 1
witkampii, *Miniopterus*, 58

wrayi, *Sciurus*, 128
wurmbi, *Lutra*, 93
wurmbii, *Simia*, 60

youngi, *Sciurus*, 128

zibetha, *Viverra*, 94
Ziphius, 109
zygomatus, *Atherurus*, 189

